

The WORKSHOP

Catalogue

Nov. 2024 - Feb. 2025

All prices quoted include GST.

ACCUD **NEW!**

Wireless Dual Scale Digital Calipers

Resolution: 0.01 mm
Accuracy: ±0.03 mm

CALIBRATION CERTIFICATE

Requires USB telemetry receiver for data transfer, see page 9 (Sold separately).

10m RANGE

150 mm	200 mm	300 mm
\$259	\$339	\$399
PN: AC-111-006-18W	PN: AC-111-008-18W	PN: AC-111-012-18W

Metric Torque Wrenches

NEW!

Supplied with **Calibration Certificate**

Range: 40-200 Nm
Anvil Size: 1/2"
Accuracy: ±3%

More on page 11.

\$299

PN: AC-TWM200Q

NICRON

Extreme Tactical Flashlight

Brightness: 16,000 Lm

Upgraded Model!

\$479

PN: B400

Full range on page 28.

PROWIN™ TOOLS

10L Pressure Feed Spray Gun Systems

Features:

- 3 meter hose
- Pressure Regulator
- Air release valve
- Safety release valve
- Tank handle/hanger

\$689 ea

Full range on page 33.

MICHAELPRO® Made in Taiwan.

Roll Head Pry Bar Set

NEW!

4-Piece Set

- Heavy duty forged steel alloy
- Black oxide finish
- Supplied in foam tray

4-Piece pry bar set includes 150, 300, 405 & 510 mm sizes

\$139

PN: MP009105

3/4" Drive Extended Impact Sockets

One-Piece Chrome Molybdenum Steel

200 mm Overall Length

NEW!

6 POINT

32 mm Socket	33 mm Socket	41 mm Socket
\$139	\$142	\$146
PN: MP005055	PN: MP005056	PN: MP005057

Full range on page 24.

geiger™

HOT PRICES!

Impact Socket Sets

1/2" Drive Metric or Imperial Socket Sets

was \$169

Now! \$99

More on page 41!

HARLINGEN®

1-13mm HSS Stepped Head Drill Set

NEW!

25 piece set includes drill bits from 1 to 13 mm in 0.5 mm increments

\$249

PN: H-512-96-852

Letter Stamp Sets

27 piece set includes A-Z plus "&" character
Made from CRV (6150).



NEW SIZES!

- 10 mm Stamp Set
PN: GYC601-10 **\$115**
- 12 mm Stamp Set
PN: GYC601-12 **\$145**
- 16 mm Stamp Set
PN: GYC601-16 **\$259**
- 19 mm Stamp Set
PN: GYC601-19 **\$299**

Number Stamp Sets

9 piece set includes 0 to 8 (6 is used as 9)
Made from CRV (6150).



NEW SIZES!

- 3 mm Stamp Set
PN: GYC602-3 **\$30**
- 4 mm Stamp Set
PN: GYC602-4 **\$32**
- 5 mm Stamp Set
PN: GYC602-5 **\$36**
- 6 mm Stamp Set
PN: GYC602-6 **\$42**
- 8 mm Stamp Set
PN: GYC602-8 **\$52**
- 10 mm Stamp Set
PN: GYC602-10 **\$62**
- 12 mm Stamp Set
PN: GYC602-12 **\$87**
- 16 mm Stamp Set
PN: GYC602-16 **\$99**
- 19 mm Stamp Set
PN: GYC602-19 **\$129**

Alphanumeric Stamp Sets

36 piece set includes 27 "A" to "Z", "&", and 9 Piece 0-8 (6 is used as 9)
Hardness: HRC 58-62°



- 3 mm Stamp Set
PN: GYC607-3 **\$60**
- 4 mm Stamp Set
PN: GYC607-4 **\$69**
- 5 mm Stamp Set
PN: GYC607-5 **\$83**
- 6 mm Stamp Set
PN: GYC607-6 **\$99**
- 8 mm Stamp Set
PN: GYC607-8 **\$169**

Single Line Alphanumeric Stamp Sets

Made from S55C High carbon steel, HRC 58-60°.
100 Piece set includes: 9 Character Type Holder, hex wrench, A-Z, 0-9, &, /, - and blank space.



- 3 mm Stamp Set
\$489
PN: GYC610-3
- 6 mm Stamp Set
\$589
PN: GYC610-6

Drill Tap & Countersink Bits



Drive: 1/4" Hex
Sizes: M4 x 0.7, M5 x 0.8, M6 x 1.0, M8 x 1.25, M10 x 1.5
Material: HSS M2
Max. Workpiece Thickness: 5 mm

CAN BE USED WITH IMPACT DRIVERS



5-Piece Set
\$59
PN: GDTDS5

3 Piece Step Drill Set

- TiN coated HSS
- Helical flute

Includes:
4-12 MM,
4-20 MM,
4-32 MM



\$189
PN: G3SD

Centre Drill Set

5 Piece set includes sizes:
1# Dia: 3.15 MM / 1.16 MM
2# Dia: 4.7 MM / 2 MM
3# Dia: 6.3 MM / 2.95 MM
4# Dia: 4.9 MM / 3.2 MM
5# Dia: 11 MM / 4.85 MM



\$26
PN: GCDS

Thread Repair Kit

- HSS tap and twist drill
- Includes 1.5D long Stainless Steel threaded inserts



Replacement Thread Inserts on page 7.

M6 Repair Kit
Includes 25 inserts
\$29
PN: GTRKM6

M8 Repair Kit
Includes 25 inserts
\$34
PN: GTRKM8

M10 Repair Kit
Includes 25 inserts
\$39
PN: GTRKM10

M6 Repair Kit
Includes 20 inserts
\$42
PN: GTRKM12

Rotary Jobber Drill Stand

Range: 1-13 mm
Capacity: 100 drill bits
Size: 174 x 90 mm



\$53
PN: VMS3

Screw Extractor Set



5 piece set is suitable for extracting screws or bolts from 4M to M20.

\$20
PN: GSES

Soluble Cutting Oil




Contains emulsifiers and bactericides specifically formulated to provide excellent stability and rust prevention characteristics in hard water up to 400 ppm (expressed as calcium carbonate).

Mix between 5% to 10% with clean tap water.

- 1 Litre
\$34
PN: SOLOIL1
- 5 Litres
\$125
PN: SOLOIL5
- 20 Litres
\$419
PN: SOLOIL20

Drill Press Vices



100 MM Drill Press Vice

Base: 177 x 161 mm
Jaw Size: 101 x 23 mm
Jaw opening: 100 mm

\$45

PN: TV102-4

150 MM Drill Press Vice

Base: 238 x 210 mm
Jaw Size: 150 X 28 mm
Jaw opening: 150 mm

\$69

PN: TV102-6

Cross Vices

- Gibbed slide ways for slack adjustment
- Travel locks for repetitive work

100 MM Cross Vice

Base: 223 x 130 mm
Overall height: 133 mm
Jaw Size: 103 x 34 mm

\$145


PN: TV144-4

150 MM Cross Vice

Base: 280 x 160 mm
Overall height: 160 mm
Jaw Size: 154 x 44 mm

\$249

PN: TV144-6



Round Vice

- Reversible mount for smaller bar diameters.
- Mount horizontally or vertically

Capacity: 10-80 mm round
Base: 230 x 161 mm (Hor.)
Base: 161 x 135 mm (Vert.)
Jaw width: 100 mm



\$369

PN: GVSF

Metal Working Bench Vises

- Integrated anvil & pipe jaws
- Lockable 360° Swivel base

**HEAVY DUTY
CAST STEEL!**



150 MM Bench Vice

Jaw face: 155 x 85 mm
Jaw opening: 150 mm
Weight: 14 kg

\$369

PN: GBV6

200 MM Bench Vice

Jaw face: 205 x 85 mm
Jaw opening: 200 mm
Weight: 18 kg

\$475

PN: GBV8

Magnetic Soft Jaws

- Horizontal & vertical vee grooves
- Integrated magnets firmly hold soft jaws in position.



Vise not included.

100 MM

\$19

PN: GMSJ4

125 MM

\$20

PN: GMSJ5

150 MM

\$22

PN: GMSJ6

200 MM

\$29

PN: GMSJ8

Tungsten Steel Tap & Die Sets

\$99

PN: GTDS39

39 Piece Metric / Imperial Tungsten Steel Tap & Die Set

Set Includes: Long Handle & T-Handle Tap Wrench, Long Handle Die Wrench, Metric & Imperial Screw Pitch Gauge

Metric Tap & Dies:	Imperial Tap & Dies:
M3 x 0.5	#4-40 UNC
M4 x 0.7	#6-32 UNC
M5 x 0.8	#8-32 UNC
M6 x 1.0	1/4"-20 UNC
M7 x 1.0	5/16"-18 UNC
M8 x 1.25	3/8"-16 UNC
M10 x 1.5	7/16"-14 UNC
M12 x 1.75	1/2"-13 UNC

NPT Tap & Dies: 1/8"-27 NPT

60 Piece Metric / Imperial Tungsten Steel Tap & Die Set

Set Includes: T-Handle Tap Wrench, Long Handle Tap Wrench, Long Handle Die Wrench, Metric Screw Pitch Gauge, Imperial Screw Pitch Gauge

\$149

PN: GTDS60

Metric Tap & Dies:	Imperial Tap & Dies:
M3 x 0.5	M8 x 1.25
M4 x 0.7	M9 x 1.25
M5 x 0.8	M10 x 1.0
M6 x 1.0	M10 x 1.5
M7 x 1.0	M12 x 1.75

NPT Tap & Dies: 1/8"-27 NPT

Metric Ti-N Coated Tungsten Steel Tap & Die Set

Set Includes Tap & Die Wrenches and the following fine & course metric tap & dies:

M6 x 0.75	M16 x 1.5
M6 x 1.0	M16 x 2.0
M8 x 1.0	M18 x 1.5
M8 x 1.25	M18 x 2.5
M10 x 1.25	M20 x 1.5
M10 x 1.5	M20 x 2.5
M12 x 1.5	M22 x 1.5
M12 x 1.75	M22 x 2.5
M14 x 1.5	M24 x 1.5
M14 x 2.0	M24 x 3.0

\$229

PN: GTDS45



VERTEX Drill Tooling



Precision Keyless Chucks

Especially suited to CNC machining centre and milling machine use.

Keyless 13 MM / JT6 Drill Chuck

Accuracy: 0.05 / 50 mm
Length: 105.3 mm (closed)

\$195

PN: VKD102

Keyless 3-16 MM Drill Chuck

Accuracy: 0.05 / 50 mm
Length: 110.3 mm (closed)

\$205

PN: VKD104

Drill Chuck Arbors



Other sizes available.

MT2 x JT6 Arbor

PN: DCAMT2J6

\$24

MT3 x JT6 Arbor

PN: DCAMT3J6

\$31

Drift Slide Hammer

- Made from carbon steel

Length: 375 mm

Weight: 1.3 Kg

HRC: 44-48°




\$98

PN: VHD1

Established in the early 1980s in Lodi, Italy, HARLINGEN has evolved into a global powerhouse in the engineering sector, specialising in CNC tooling for the aerospace, automotive and manufacturing industries. Today, HARLINGEN has expanded their range and with strategic fulfillment centres in California and Shanghai. They proudly cater to thousands of clients operating in over 40 countries worldwide.

Coated Micro-Grain Carbide Turning Inserts


• Sold in packs of 10



PN	Shape	Point Radius	Cutting Width	Thickness	
TCMT16T304	Triangle	0.4 mm	16 mm	3.97 mm	\$120
TCMT16T308	Triangle	0.8 mm	16 mm	3.97 mm	\$120
TPMR160304	Triangle	0.4 mm	16 mm	3.18 mm	\$120
TPMR160308	Triangle	0.8 mm	16 mm	3.18 mm	\$120
TNMG160404	Triangle	0.4 mm	16 mm	4.76 mm	\$120
TNMG160408	Triangle	0.8 mm	16 mm	4.76 mm	\$120
WCMT050308	Trigon	0.8 mm	5 mm	3.18 mm	\$140
WCMT06T304	Trigon	0.4 mm	6 mm	3.97 mm	\$130
WNMG080404	Trigon	0.4 mm	8 mm	4.76 mm	\$140
WNMG080408	Trigon	0.8 mm	8 mm	4.76 mm	\$140
DCMT070204	55° Rhomboid	0.4 mm	7 mm	2.38 mm	\$130
DCMT11T304	55° Rhomboid	0.4 mm	11 mm	3.97 mm	\$150
CCMT060204	80° Rhomboid	0.4 mm	6 mm	2.38 mm	\$100
CNMG120404	80° Rhomboid	0.4 mm	12 mm	4.76 mm	\$140
CNMG120408	80° Rhomboid	0.8 mm	12 mm	4.76 mm	\$140
CCMT09T304	80° Rhomboid	0.4 mm	9 mm	3.97 mm	\$130
CCMT120408	80° Rhomboid	0.8 mm	12 mm	4.76 mm	\$150

TiAlN Micro-Grain Carbide Right Handed Threading Inserts

- Made of micro-grain carbide with TiAlN coating
- Suited to cast iron, general purpose steel and stainless steel
- Sold in packs of 10



Thread Profile	Thread Range	Insert Size	PN	
60° External	0.5 - 1.5 mm	IC 6.35 mm	11ERA60	\$160
60° External	0.5 - 3.0 mm	IC 9.525 mm	16ERAG60	\$160
55° Internal	0.5 - 3.0 mm	IC 9.525 mm	16IRAG55	\$160
60° Internal	0.5 - 3.0 mm	IC 9.525 mm	16IRAG60	\$160
55° External	48 - 16 TPI	IC 6.35 mm	11ERA55	\$160
55° External	48 - 8 TPI	IC 9.525 mm	16ERAG55	\$160

TiAlN Micro-Grain Carbide APKT Insert



Shape: 85° Parallelogram
Cutting Width: 10 mm
Point Radius: 0.5
Clearance Angle: 11°
Thickness: 3.53 mm

\$120
PN: APKT1003

- Suited to semi-finishing of general purpose steel
- Sold in packs of 10

Shape: 85° Parallelogram
Cutting Width: 16 mm
Point Radius: 0.8
Clearance Angle: 11°
Thickness: 5.3 mm

\$140
PN: APKT160408

TiN Coated Carbide GTN Parting & Grooving Inserts

- Suited to general purpose steel
- Sold in packs of 10



Cutting Width	PN	
2 mm	GTN-2	\$90
3 mm	GTN-3	\$90
4 mm	GTN-4	\$120
5 mm	GTN-5	\$140

TiAlN Micro-Grain Carbide MGMN Parting & Grooving Inserts

- Suited to general purpose steel and stainless steel
- Sold in packs of 10



Cutting Width	PN	
2 mm	MGMN200	\$150
3 mm	MGMN300	\$160
4 mm	MGMN400	\$170

Nickel Plated Cut-Off Tool Blades & Blocks

- Corrosion resistant Nickel Plating

Parting Blades



Size	PN	
19 x 2 mm	NCIH19-2	\$59
19 x 3 mm	NCIH19-3	\$59
26 x 2 mm	NCIH26-2	\$59
26 x 3 mm	NCIH26-3	\$59
32 x 3 mm	NCIH32-3	\$110
32 x 4 mm	NCIH32-4	\$110
32 x 5 mm	NCIH32-5	\$110

Parting Blocks

Length	Blade Width	Blade Height	Shank	PN	
56 mm	2-3 mm	19 mm	12 mm	SLTBN12-02	\$89
75 mm	2-3 mm	26 mm	16 mm	SLTBN16-05	\$99
75 mm	2-3 mm	26 mm	20 mm	SLTBN20-05	\$99
75 mm	2-5 mm	32 mm	25 mm	SLTBN25-06	\$129

Nickel Plated 7 Piece Indexable Lathe Tool Sets

- Corrosion resistant Nickel Plating

Each set includes the following tool holders, inserts, torx and hex wrenches.

Left & Right Handed CCMT Tool Holders
Neutral & Right Handed DCMT Tool Holders
Right Handed WCMT Tool Holder
Grooving Tool Holder & Threading Tool Holder



PN: H-11-126-T20

12 MM Shank

\$299

PN: H-11-126-T20

16 MM Shank

\$339

PN: H-11-126-T25

20 MM Shank

\$399

PN: H-11-126-T30

Nickel Plated Threading Tool Holder Set

- Set includes tool holders and four ti-nite coated tungsten carbide inserts for right-handed metric fine and coarse, internal and external thread cutting
- Suited to general purpose steel cast iron, and stainless steel



PN: H-11-300-A45

16 MM Shank

\$249

PN: H-11-300-A30

20 MM Shank

\$289

PN: H-11-300-A40

25 MM Shank

\$329

PN: H-11-300-A45

Cut-Off & Grooving Lathe Tool Sets

- Corrosion resistant Nickel Plating



PN: H-11-262-T30

Kit includes the following ranges of tool block, blades and 10 inserts

Block	Blades	Parting Inserts	PN	
12 mm	19 x 2 & 3 mm	GTN-2, GTN-3	H-11-262-T15	\$269
16 mm	26 x 2 & 3 mm	GTN-2, GTN-3	H-11-262-T20	\$299
20 mm	26 x 2 & 3 mm	GTN-2, GTN-3	H-11-262-T30	\$319
25 mm	32 x 3, 4 & 5 mm	GTN-3, GTN-4, GTN-5	H-11-262-T35	\$489

Nickel Plated CCMT Boring Bar Set

- Set includes boring bars with TiN Micro-Grain Carbide Semi-Finishing CCMT Inserts
- Suited to cast iron, general purpose steel and stainless steel

4 Piece set includes:
8 x 100mm Boring Bar
10 x 125mm Boring Bar
12 x 150mm Boring Bar
16 x 200mm Boring Bar



\$279

PN: H-11-383-T19

90° APKT Indexable End Mill Set

- Set includes an APKT tool holder and 20 TiAlN micro-grain carbide inserts
- Suited to semi-finishing of general purpose steel

Shank Dia: 16 mm
Length: 85 mm
Cutting Dia: 16 mm
Inserts Pockets: 2



\$289

PN: H-11-373-S40

90° TCMT Indexable Countersink

- Cut 5 times faster than HSS tools
- Suited to semi-finishing of general purpose steel
- Includes 2 inserts

Size: 32.5 mm
Shank: 25 mm
Insert: 2 x TCMT16T304



NEW!

\$169

PN: H-11-132-T30

90° HSS Three Flute Countersink Set

- Achieve consistent high quality results and chatterless burr-free operation with the latest unequally spaced geometry
- CBN ground deep flutes for significantly smoother & sharper cutting edges
- Suitable for metal, plastics & non-ferrous materials.

6 Piece set includes the following sizes: 6.3, 8.3, 10.4, 12.4, 16.5, 20.5 mm



\$119

PN: H-11-040-S01

Precision Angle Lock Milling Machine Vises with Swivel Base

- Thrust ball bearing spindle for higher clamping forces
- Angle-lock designed to prevent jaw lift
- Vise body made of high grade cast iron
- Hardened and ground guide surfaces
- Replaceable hardened and ground clamping jaws
- Shielded spindle



Jaw Face	Jaw Opening	Weight	PN	
160 x 45 mm	160 mm	39 Kg	H-40-085-006	\$469
200 x 50 mm	235 mm	60 Kg	H-40-085-010	\$899

Precision Angle Lock Milling Machine Vises

- Thrust ball bearing spindle for higher clamping forces
- Angle-lock designed to prevent jaw lift
- Vise body made of high grade cast iron
- Hardened and ground guide surfaces
- Replaceable hardened and ground clamping jaws
- Shielded spindle



Jaw Face: 152 x 45 mm
Jaw opening: 230 mm
Weight: 33 Kg

\$990
PN: H-40-085-007H

Clamping Kits

- Kits manufactured from high quality quenched and tempered steel with black oxide finish

58 piece Kit includes 24 stud bolts (4 each in length), 75, 100, 125, 150, 175, 200 mm, 4 extension nuts, 6 stepped finger clamps (3 pairs), 6 T-slot nuts, 6 flange nuts, 3 pairs of stepped blocks



T-Slot	Stud	PN	
12 mm	M10	H-41-061-001	\$169
7/16"	3/8"	H-42-061-001	\$179
14 mm	M12	H-41-061-002	\$189
15.7 mm	M12	H-41-061-002-1	\$189
16 mm	M14	H-41-061-003	\$199
18 mm	M16	H-41-061-004	\$325
20 mm	M18	H-41-061-005	\$575

150 mm / 6" Tilting Machine Vise

- This machine vise features great rigidity & clamping force and has engraved quadrants on the tilt and swivel axes.

Jaw Face: 160 x 50 mm
Jaw opening: 125 mm
Weight: 39 Kg




\$769
PN: H-40-083-003

150 mm High Precision Modular Vise

- High precision accuracy to 0.01 mm
- Angle-lock designed to prevent jaw lift
- Made of high grade steel alloy
- Height matched

Jaw Face: 150 x 50 mm
Jaw Opening: 200 mm
Overall Length: 420 mm
Hardness: HRC 58-62



\$1499
PN: H-41-089-003

Welders Vises


- High quality cast iron body
- Copper plated spindle for spatter protection
- Quick-Release spindle



Jaw Face	Miter Capacity	PN	
105 x 35 mm	85 mm	H-40-076-008	\$129
135 x 61.5 mm	120 mm	H-40-076-009	\$169

Drill Press Vises

- Replaceable precision hardened & ground prisma jaws
- Rolled trapezoidal spindle thread
- High quality cast iron body



Jaw Face	Jaw Opening	Weight	PN	
100 x 27 mm	75 mm	3.5 Kg	H-41-074-002	\$99
150 x 34 mm	125 mm	7.0 Kg	H-41-074-004	\$169
200 x 40 mm	175 mm	10.0 Kg	H-41-074-005	\$289

Tap & Reamer Wrenches

Extended T-Handle Tap Wrenches

Forward, Locked & Reverse Ratchet Slidable T-handle



250 MM
M3-M10

\$34

PN: H-11-104-005

300 MM
M5-M13

\$39

PN: H-11-104-006

Adjustable Tap & Reamer Wrenches

Meets DIN1814 standards



M1-M12

\$19

PN: H-11-102-003

M5-M20

\$39

PN: H-11-102-005

M13-M32

\$110

PN: H-11-102-007

1-13 mm Cobalt/HSS Drill Set

- HSS, Cobalt 5% (M35)
- 135° split point

25 piece set includes drill bits from 1 to 13 mm in 0.5 mm increments. Material: HSS, Cobalt 5% (M35)



\$179

PN: H-512-11-4S1

170 Piece Cobalt/HSS Twist Drill Set

- HSS, Cobalt 5% (M35)
- 135° split point

170 piece set includes ten sets of: 1.0 to 8.0 mm drill bits in 0.5 mm increments Five sets of 8.5 to 10.0 mm drill bits in 0.5 mm increments.



\$479

PN: H-11-275-003

Master Thread Repair Kits



- The most reliable and effective tool for thread repair.
- Quickly and permanently restore stripped, worn or damaged threads to their original size, condition and strength.
- Increase the strength and durability of threads in soft materials.

M5 to M12 Master Thread Repair Kit

Set includes: HSS STI taps & drill bits 1.5D Stainless steel wire inserts in the following sizes: 25 x M5 x 0.8, 25 x M6 x 1.0 25 x M8 x 1.25, 25 x M10 x 1.5 10 x M12 x 1.75

\$179

PN: H-11-303-A01

1/4" to 1/2" UNC Master Thread Repair Kit

Set includes: HSS STI taps & drill bits 1.5D Stainless steel wire inserts in the following sizes: 25 x 1/4"-20 UNC, 25 x 5/16"-18 UNC 25 x 3/8"-16 UNC, 25 x 7/16"-14 UNC 10 x 1/2"-13 UNC

\$189

PN: H-12-303-A01UNC

1/4" to 1/2" UNF Master Thread Repair Kit

Set includes: HSS STI taps & drill bits 1.5D Stainless steel wire inserts in the following sizes: 25 x 1/4"-28 UNF, 25 x 5/16"-24 UNF 25 x 3/8"-24 UNF, 25 x 7/16"-20 UNF 10 x 1/2"-20 UNF

\$189

PN: H-12-303-A02UNF


Stainless Steel Threaded 1.5D Inserts



Thread Profile	Thread Length	Quantity	PN	
M5 x 0.8	7.5 mm	25	H-11-303-310	\$14
M6 x 1.0	9 mm	25	H-11-303-315	\$16
M8 x 1.25	12 mm	25	H-11-303-320	\$18
M10 x 1.5	15 mm	25	H-11-303-325	\$19
M12 x 1.75	18 mm	10	H-11-303-330	\$14
1/4"-20 UNC	0.375"	25	H-12-303-310	\$18
5/16"-18 UNC	0.46875"	25	H-12-303-315	\$18
3/8"-16 UNC	0.5625"	25	H-12-303-320	\$20
7/16"-14 UNC	0.65625"	25	H-12-303-325	\$24
1/2"-13 UNC	0.75"	10	H-12-303-330	\$16
1/4"-28 UNF	0.375"	25	H-12-303-350	\$18
5/16"-24 UNF	0.46875"	25	H-12-303-355	\$18
3/8"-24 UNF	0.5625"	25	H-12-303-360	\$20
7/16"-20 UNF	0.65625"	25	H-12-303-365	\$24
1/2"-20 UNF	0.75"	10	H-12-303-370	\$16



Dual Scale Vernier Calipers



Graduation: 0.02 mm / 01"
Accuracy: ±0.03/01"

150 mm Dual Scale Vernier Caliper

PN: AC-120-006-12
\$85


200 mm Dual Scale Vernier Caliper

PN: AC-120-008-12
\$115

300 mm Dual Scale Vernier Caliper

PN: AC-120-012-12
\$220

70 mm Mini Vernier Caliper




Graduation: 0.05 mm
Accuracy: 0.05 mm

NEW!

PN: AC-121-003-11
\$85

Dual Scale Digital Calipers



USB DATA OUTPUT

Resolution: 0.01 mm
Accuracy: ±0.03 mm

150 mm Dual Scale Digital Caliper

PN: AC-111-006-12
\$110


200 mm Dual Scale Digital Caliper

PN: AC-111-008-12
\$169

300 mm Dual Scale Digital Caliper

PN: AC-111-012-12
\$239

Splash Proof IP54 Dual Scale Digital Calipers



Resolution: 0.01 mm / 005"
Accuracy: ±0.03 mm / 01"

USB DATA OUTPUT

- Highly accurate glass scale
- USB data output

150 mm Dual Scale Splash Proof IP54 Digital Caliper

PN: AC-111-006-11
\$139


200 mm Dual Scale Splash Proof IP54 Digital Caliper

PN: AC-111-008-11
\$189

300 mm Dual Scale Splash Proof IP54 Digital Caliper

PN: AC-111-012-11
\$279

Fractional Metric & Imperial Digital Calipers



Resolution: 0.01 mm, 05", 1/128"
Accuracy: ±0.03 mm

- IP54 splash proof
- Auto On/Off

150 mm Fractional Imperial Digital Caliper

PN: AC-113-006-11
\$149


200 mm Fractional Imperial Digital Caliper

PN: AC-113-008-11
\$210

300 mm Fractional Imperial Digital Caliper

PN: AC-113-012-11
\$299

100 mm Mini Digital Caliper




Resolution: 0.01 mm / 005"
Accuracy: ±0.1 mm

NEW!

PN: AC-114-004-11
\$129

150 MM Digital Plastic Caliper



Resolution: 0.01 mm / 005"
Accuracy: ±0.1 mm

PN: AC-117-006-11
\$49

Metric Dial Calipers



150 mm Metric Dial Caliper

Graduation: 0.01 mm
Accuracy: ±0.03 mm

PN: AC-101-006-11
\$169

200 mm Metric Dial Caliper

Graduation: 0.01 mm
Accuracy: ±0.03 mm

PN: AC-101-008-11
\$199

300 mm Metric Dial Caliper

Graduation: 0.01 mm
Accuracy: ±0.04 mm

PN: AC-101-012-11
\$310

Coolant Proof IP67 Dual Scale Digital Calipers



HOT PRICE!
150 mm PN: AC-112-006-12

150 mm Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm / 005"
Accuracy: ±0.03 mm / 01"

PN: AC-112-006-12
\$229

200 mm Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm / 005"
Accuracy: ±0.03 mm / 01"


PN: AC-112-008-12
\$369

300 mm Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm / 005"
Accuracy: ±0.03 mm / 01"

PN: AC-112-012-12
\$649

Large Screen Dualscale Digital Caliper



NEW!

USB DATA OUTPUT

Resolution: 0.01 mm
Accuracy: ±0.03 mm

150 mm Dual Scale Digital Caliper

PN: AC-106-006-21
\$139

200 mm Dual Scale Digital Caliper

PN: AC-106-008-21
\$189

300 mm Dual Scale Digital Caliper

PN: AC-106-012-21
\$279

Dial Indicators

10 mm Jeweled Bearing Dial Indicator

Graduations: 0.01 mm
Accuracy: 20 µm

- Jeweled Bearing
- Limit hands
- Lug back



PN: AC-222-010-11
\$99

25mm Dial Indicator

Graduations: 0.01 mm
Accuracy: 20 µm

PN: AC-229-025-11
\$129

1" Dial Indicator

Graduation: 0.001"
Accuracy: 0.004"

PN: AC-225-025-11
\$89

25 MM Dual Scale Digital Indicator

Resolution: 0.01 mm / 005"
Accuracy: 20 µm

- Functions: zero point, Invert measuring, inch/mm direction, data preset, ABS
- USB data output
- Supplied with flat & lug back



PN: AC-212-025-13
\$219

Indicator Point Extensions

Metric Indicator Point Extensions

Thread: M2.5x0.45 mm

25 mm - PN: AC-270-000-04 **\$22**

50 mm - PN: AC-270-000-09 **\$22**

75 mm - PN: AC-270-000-14 **\$29**

100 mm - PN: AC-270-000-17 **\$29**

IMPERIAL SIZES AVAILABLE

Wireless Data Systems



- Connects via USB to host computer to enable wireless transfer of sample data
- Multichannel Receiver requires Windows PC

Wireless Data Transfer Receiver

Range: 15m
Hosts: 1 device

PN: AC-800-01
\$339

Wireless Multichannel Data Receiver

Range: 15m
Hosts: 10 devices

PN: AC-800-02
\$479

Caliper Accessories

75 mm Base

Beam Width: 16 mm

PN: AC-179-000-00
\$49

100 mm Base

Beam Width: 16 mm

PN: AC-179-000-01
\$85



Dial Indicators

30 mm Dial Indicator

Graduations: 0.01 mm
Accuracy: ±35 µm

PN: AC-229-030-11
\$159

- 1 mm range per revolution
- Lug and flat back

50 mm Dial Indicator

Graduations: 0.01 mm
Accuracy: ±35 µm

PN: AC-229-050-21
\$329

2" Imperial Dial Indicator

Graduations: 0.001"
Accuracy: 0.008"

PN: AC-225-050-11
\$149



Dial Test Indicators

- Anti-magnetic metal body
- Jeweled bearing
- Carbide stylus
- Includes 4 & 8 mm clamps

0.14 mm Dial Test Indicator

Graduation: 0.001 mm
Accuracy: ±4 µm

PN: AC-261-014-01
\$389

0.80 mm Dial Test Indicator

Graduation: 0.01 mm
Accuracy: ±13 µm

PN: AC-261-008-11
\$139



Dial Bore Gauges



18-35 mm Dial Bore Gauge

Graduations: 0.01 mm
Accuracy: ±0.015 mm

PN: AC-251-035-11
\$259

35-60 mm Dial Bore Gauge

Graduations: 0.01 mm
Accuracy: ±0.018 mm

PN: AC-251-060-11
\$259

50-160 mm Dial Bore Gauge

Graduations: 0.01 mm
Accuracy: ±0.018 mm

PN: AC-251-160-11
\$259

2-6" Dial Bore Gauge

Graduations: 0.0005"
Accuracy: 0.0009"

PN: AC-252-060-11
\$289

18-160 mm Dial Bore Gauge Set

Range: 18-160mm
Indicating range: 10 mm
Graduations: 0.01 mm
Accuracy:
18-35mm / ±0.015 mm
35-60mm / ±0.018 mm
50-160mm / ±0.018 mm

PN: AC-251-346-13
\$769



Dial Indicator & Magnetic Stand Kits

10 mm Dial Indicator with Fine Adjustment Magnetic Stand

Stem hole: Ø4 mm, Ø8 mm, 3/8"
Magnetic Force: 60 kgf
Graduation: 0.01 mm
Accuracy: ±20 µm

PN: AC-280-000-02
\$185

1" Inch Dial Indicator with Fine Adjustment Magnetic Stand

Stem hole: Ø4 mm, Ø8 mm, 3/8"
Magnetic Force: 60 kgf
Graduation: 0.001"
Accuracy: ±20 µm

PN: AC-280-001-02
\$185



Universal Magnetic Stands

Fine Adjustment Magnetic Stand

Stem holes: 8 mm
Magnetic Force: 60 kgf



PN: AC-281-060-01
\$89

Magnetic Stand

Stem holes: 8 mm
Magnetic Force: 60 kgf



PN: AC-281-060-02
\$79

Mini Universal Magnetic Stand

Magnetic Force: 40 kgf
Stem holes: 8 mm
Height: 231 mm
Arm Length: 192 mm



PN: AC-286-040-01
\$199

Universal Magnetic Stand

Stem hole: 8 mm
Height: 395 mm
Arm Lengths: 340 mm
Magnetic Force: 80 kgf



PN: AC-282-080-02
\$229

Indicator Centering Mount

Mounts Indicator to chuck to indicate alignment between chuck and cylinders or holes.



PN: AC-269-060-01
\$49



Dual Scale Stainless Rulers



HOT PRICE!
On 600 & 1000 mm Rulers!

150 mm Dual Scale Stainless Ruler

Graduation: PN: AC-990-006-11
0.5 mm, 1 mm, 1/64",
1/32", 1/16" **\$13**

300 mm Dual Scale Stainless Ruler

Graduation: PN: AC-990-012-11
0.5 mm, 1 mm, 1/64",
1/32", 1/16" **\$20**

600 mm Dual Scale Stainless Ruler

Graduation: PN: AC-990-024-11
0.5 mm, 1 mm, 1/64",
1/32", 1/16" **\$36**

1000 mm Dual Scale Stainless Ruler

Graduation: PN: AC-990-040-11
0.5 mm, 1 mm, 1/64",
1/32", 1/16" **\$56**

Straight Edge Rulers



500 mm Straight Edge Ruler

Graduations: 1 mm
Beam Width: 40 mm
Length: 500 mm
PN: AC-991-020-01 **\$229**

300 mm Straight Edge Ruler

Graduations: 1 mm
Beam Width: 40 mm
Length: 300 mm
PN: AC-991-012-01 **\$149**

1000 mm Straight Edge Ruler

Graduations: 1 mm
Beam Width: 50 mm
Length: 1000 mm
PN: AC-991-040-01 **\$489**

Double Ended Scriber

- Nickel plated with Hardened tips
 - Knurled handle
- Length: 250 mm



PN: AC-995-009-01
\$19

Radius Gauge Sets



• Includes concave & convex gauge for each size

1-7 mm Radius Gauge Set

Range: 1, 1.25, 1.5, 1.75, 2, 2.25, 2.5, 2.75, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7 mm

PN: AC-941-007-34
\$39

7.5-15 mm Radius Gauge Set

Range: 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13, 13.5, 14, 14.5, 15 mm

PN: AC-941-015-32
\$39

15.5-25 mm Radius Gauge Set

Range: 15.5, 16, 16.5, 17, 17.5, 18, 18.5, 19, 19.5, 20, 21, 22, 23, 24, 25 mm

PN: AC-941-025-30
\$39

Dividers & Calipers



200 mm Inside Spring Caliper

Range: 18-190 mm
Length: 200 mm
PN: AC-982-008-01 **\$39**

300 mm Inside Spring Caliper

Range: 18-290 mm
Length: 300 mm
PN: AC-982-012-01 **\$49**

500 mm Inside Spring Caliper

Range: 25-490 mm
Length: 500 mm
PN: AC-982-020-01 **\$79**



200 mm Spring Divider

Range: 0-190 mm
Length: 200 mm
PN: AC-985-008-01 **\$39**

300 mm Spring Divider

Range: 0-290 mm
Length: 300 mm
PN: AC-985-012-01 **\$49**

500 mm Spring Divider

Range: 0-490 mm
Length: 500 mm
PN: AC-985-020-01 **\$79**



200 mm Outside Spring Caliper

Range: 0-190 mm
Length: 200 mm
PN: AC-984-008-01 **\$39**

300 mm Outside Spring Caliper

Range: 0-290 mm
Length: 300 mm
PN: AC-984-012-01 **\$49**

500 mm Outside Spring Caliper

Range: 0-490 mm
Length: 500 mm
PN: AC-984-020-01 **\$79**



200 mm Dividing Caliper

Range: 0-190 mm
Length: 200 mm
PN: AC-986-008-01 **\$39**

300 mm Dividing Caliper

Range: 0-290 mm
Length: 300 mm
PN: AC-986-012-01 **\$49**

500 mm Dividing Caliper

Range: 0-490 mm
Length: 500 mm
PN: AC-986-020-01 **\$69**

Wide Base Machinist Squares (Grade 2)

100 mm Wide Base Machinist Square

Squareness: (α) 28 μm (β) 30 μm
Base size: 19H x 12W x 70L mm
Blade Thickness: 3 mm

PN: AC-845-004-02
\$39

200 mm Wide Base Machinist Square

Squareness: (α) 37 μm (β) 40 μm
Base size: 32H x 16W x 130L mm
Blade Thickness: 4 mm

PN: AC-845-008-02
\$69

600 mm Wide Base Machinist Square

Squareness: (α) 75 μm (β) 80 μm
Base size: 50H x 30W x 350L mm
Blade Thickness: 6 mm

PN: AC-845-024-02
\$389

150 mm Wide Base Machinist Square

Squareness: (α) 33 μm (β) 35 μm
Base size: 25H x 16W x 100L mm
Blade Thickness: 3 mm

PN: AC-845-006-02
\$59

300 mm Wide Base Machinist Square

Squareness: (α) 47 μm (β) 50 μm
Base size: 32H x 19W x 200L mm
Blade Thickness: 4 mm

PN: AC-845-012-02
\$99



Thread Gauge Sets



Metric & Whitworth Thread Gauge

Metric 60° Range: 0.25-6.0 mm
Whitworth 55° Range: 4-62 TPI

PN: AC-925-062-52
\$38

Metric Thread Gauge

Metric 60° Range: 0.25 - 6.0 mm

PN: AC-922-006-24
\$26

Whitworth Thread Gauge

Whitworth 55° Range: 4-42 TPI

PN: AC-924-042-30
\$28

Circumference Tape



60-950 mm Circumference Tape

Range: Dia. 20-300 mm / Cir. 60-950 mm
Graduation: 0.1 mm

PN: AC-956-012-11
\$42

940-2200 mm Circumference Tape

Range: Dia. 300-700 mm / Cir. 940-2200 mm
Graduation: 0.1 mm

PN: AC-956-028-11
\$59

2190-3460 mm Circumference Tape

Range: Dia. 700-1100 mm / Cir. 2190-3460 mm
Graduation: 0.1 mm

PN: AC-956-044-11
\$79

Combination Squares

Combination Square

90° or 45° square
90° square accuracy: ±8',
45° square accuracy: ±10'

**Wear Resistant
Cast Iron Head**



PN: AC-817-090-12

\$139

Combination Square Set

Circle Centre Finder 90° or 45° square
Accuracy: ±0.15 mm 90° square accuracy: ±8',
Ruler range: 300 mm / 12" 45° square accuracy: ±10'

Protractor
Range: 0-180°
Accuracy: ±7'

PN: AC-817-180-02

\$269



Angle Finders



150 mm / 180° Angle Finder

Length: 150 mm
Graduation: 1°
Accuracy: ±0.3°

PN: AC-812-005-01

\$69

200 mm / 180° Angle Finder

Length: 200 mm
Graduation: 1°
Accuracy: ±0.3°

PN: AC-812-006-01

\$99

300 mm / 180° Angle Finder

Length: 300 mm
Graduation: 1°
Accuracy: ±0.3°

PN: AC-812-008-01

\$129

100 mm Digital Protractor

- Button function: Hold/Rev, Set zero, On/Off
- Locking screw
- Beam with integrated magnets




Resolution: 0.05°
Accuracy: ±0.3°
Length: 103 mm

NEW!

PN: AC-824-004-11

\$139

Combination Rulers



200 mm Digital Combination Ruler

Length: 200 mm
Range: 360°
Resolution: 0.1°

PN: AC-821-008-01

\$109

300 mm Digital Combination Ruler

Length: 300 mm
Range: 360°
Resolution: 0.1°

PN: AC-821-012-01

\$129

Radius & Hole Gauges

Radius Gauge Set



Range: 0.5-13 mm
Accuracy: ±0.05 mm
Increments: 0.5 mm

PN: AC-942-013-26

\$109

Small Hole Gauge Set

Range: 3-13 mm




PN: AC-952-004-01

\$59

Welding Gauges

Fillet Weld Gauge

Sizes: 3, 4, 5, 6, 8,
9, 10, 11, 12,
14, 16, 19,
22 & 25 mm
Accuracy:
0.5 mm



PN: AC-977-025-01

\$69

Welding Gauge

Range: 0-6 mm
Porosity Comparison
Range: 1.5 & 3 mm
Graduation: 0.5 mm
Accuracy: 0.5 mm



PN: AC-978-006-01

\$69

Metric Torque Wrenches

NEW!



- Supplied with calibration certificate
- Accuracy: ±3%
- Meets ISO6789 & ASMEB107.14

5-25 Nm Torque Wrench

Anvil Size: 3/8"
Length: 275 mm

PN: AC-TWM25Q

\$229

40-200 Nm Torque Wrench

Anvil Size: 1/2"
Length: 505 mm

PN: AC-TWM200Q

\$299

10-50 Nm Torque Wrench

Anvil Size: 3/8"
Length: 275 mm

PN: AC-TWM50Q

\$259

70-340 Nm Torque Wrench

Anvil Size: 1/2"
Length: 695 mm

PN: AC-TWM340Q

\$385

10-50 Nm Torque Wrench Set


Set includes 5-25 Nm Torque Wrench (AC-TWM25Q), 100 mm 3/8" extension bar and the following sockets: 2, 2.5, 3, 4, 5, 6, 8 mm hex, T10, T15, T20, T25, T27 & T30 Torx®

PN: AC-STWM25Q

\$359



Feeler Gauges



200 mm Feeler Gauge 20 Leave Set

Range: 0.05-1 mm
Length: 200 mm

PN: AC-914-100-20

\$49

150 mm Feeler Gauge 20 Leave Set

Range: 0.05-1 mm
Length: 150 mm

PN: AC-913-100-20

\$39

300 mm Feeler Gauge 20 Leave Set

Range: 0.05-1 mm
Length: 300 mm

PN: AC-915-100-20

\$49

Dual Scale Angled Feeler Gauge

Metric Range: 0.005 - 0.030 mm
Imperial Range: 0.127" - 0.762"
Blade Length: 100 mm



PN: AC-919-030-26

\$49

Tapered Feeler Gauge

Metric Range: 0.03-1.00mm
Blade Length: 100 mm

- Meets DIN2275
- Accuracy: ±(3+T/80) μm,



PN: AC-912-100-32

\$29

Feeler Tapes

Size: 13 mm x 5 m
Accuracy: ±4 μm



0.02 mm Feeler Tape

PN: AC-916-002-01

\$49

0.04 mm Feeler Tape

PN: AC-916-004-01

\$44

Protractor & Levels

Digital Level & Protractor

- Magnetic V-groove Base



PN: AC-722-360-01

\$219

Resolution: 0.05°
Accuracy : ±0.1°(at 0°/90°/180°/270°)
±0.2°(other direction)

Size: 150 x 60 x 33 mm

Digital Level

- Magnetic base

Range: 0-360°
Resolution: 0.1°
Dimensions: 59 x 28 mm
Accuracy: ±0.1°
±0.2°(other directions)

PN: AC-721-180-01

\$129



600 mm Digital level

- Functions as level or protractor
- Absolute horizon memory
- Back-light Display
- Magnetic base



Units: Degrees, Slope %, mm/m & In/Ft Pitch.
Resolution: 0.1°

PN: AC-725-360-01

\$199



Contact Tachometer

Rotary Range: 0.5-19,999 rpm
Linear Range: 0.05-1999.9 m/min
Power Supply: 2 x AAA
Weight: 106g

- Includes various coupling attachments



PN: AC-CT900
\$139

Laser Tachometer

Range: 2.5 - 99,999 RPM
Sampling Range: 50 - 500 mm
Power Supply: 2 x AAA
Weight: 106 g

Supplied with
45 cm of 3M™
Reflective Tape.

PN: AC-LT900
\$129



Digital Sound Level Meter

- Fast & Slow display functions, Continuous & Min/Max functions
- Back-lit LCD
- Programmable Exceedence Alarm

Range: 30-130 db
Accuracy: 1.5 db
Resolution: 0.1 db
Weight: 64g



PN: AC-SLM130
\$129

Digital Anemometer

- Temperature & Wind Speed display
- Real-time/Max/Ave functions
- Back-lit LCD
- Unit: m/s, km/h, ft/min, Knots, mph

Range: 0.3-30m/s
Accuracy: ±5%
Resolution: 0.1m/s
Weight: 154g



PN: AC-AM30
\$129

Portable Hardness Tester

Resolution: 1 HLD, 1 HV, 1 HB, 0.1 HRC, 0.1 HRB, 1 HS, 1 MPa

Units: HV, HB, HRC, HRB, HS & tensile strength MPa
Accuracy: ±8 HLD / 0.8 HRC (HLD=800)
Min. sample weight: 5 kg (directly) / 2 kg (supported) / 0.1 kg (coupled to plate)
Min. sample thickness: 5 mm
Min. sample diameter: 22 mm
Max. sample roughness: 1.61-Jm(Ra)
Power: 3 x AAA battery
Dimensions: 121 x 68 x 30 mm



PN: AC-HL350
\$879

Shore Hardness Tester

- Meets ISO868, ISO7619, ASTM D2240
- Peak value indicator



PN: AC-HSM1A
\$379

Wood Moisture Meter

Temp. Range: -10-60 °C
Humidity Range: 0.1 °C RH
Moisture Range: 2-40/50/60/70%



PN: AC-WMM700
\$99

FN Coating Thickness Gauge

- Measures thickness of non-magnetic coatings on both magnetic and electrically conductive substrates
- V-type probe for cylindrical work pieces

Range: 0 ~ 1500µm
Resolution: 0.1µm (0-99.9µm) / 1µm (100-1500µm)
Accuracy: 2µm (0-100µm) / 3% (100-1500µm)
Min. measuring area: 25 x 25 mm
Memory: 30 sets



PN: AC-CFN1500B
\$779

Laser Distance & Level Meters

- Functions: Distance, Area, Volume, Indirect distance,
- Maximum & Minimum Memory
 - Laser Sight
 - Built-in Spirit Level
 - IP54 Protection Level
 - Back-light LCD Display
 - Battery Power Indicator
 - 1/4"-20 UNC Tripod Mount

Accuracy: 1.5 mm
Units: Metre/Inch/Foot
Light spot: Ø8 mm @ 40 m
Memory: 20 data points
Power: 2 x AAA
Weight: 110 g



40 Meter Range
PN: AC-TM40
\$99



100 Meter Range
PN: AC-TM100
\$269

HOT PRICE!

Dual Scale Digital Temperature & Humidity Monitor



- Measuring Unit °C/°F
- Records Max. & min. temperature & humidity
- Time, Date & Month display
- 12 or 24 hr display modes
- Daily alarm function
- Alternating display function

Temperature Range: Indoor: -10 - +50°C
Humidity Range: indoor 20% - 99%
Power supply: 1.5V (AAA size) x1
Size 96W mm x 105H mm

PN: AC-HTC-1
\$39

Infrared Thermometers & Imaging



- Functions: Min/Max. & Average Differential indication, High & Low Temp. Alarm & 100 Sample Point Memory
- Adjustable Emission Compensation
 - Battery Power Indicator
 - Mutable sample capture alarm
 - Back-light LCD Display
 - 1/4"-20 UNC Tripod Mount
 - Laser Sight

950° Infrared Thermometer

Range: -50 to 950 °C
Accuracy: 1.5% or 1.5 °
Distance spot ratio: 12:1

PN: AC-IT700
\$189

1650°C Infrared Thermometer

Range: -50 to 1650 °C
Accuracy: 1.5% or 1.5 °
Distance spot ratio: 12:1

PN: AC-IT1650S
\$519

Refractometers

Automotive Refractometer



Engineering Refractometer



- Measures concentration levels of Glycol, Propylene Glycol, Battery fluid, Cleaning liquid & Adblue

Range: 0-10%
Graduations: 0.2%
Weight: 0.8 Kg

PN: AC-RM50S
\$149

- Measures metal working coolant concentration levels

Range: 0-10%
Graduations: 0.2%
Weight: 0.8 Kg

PN: AC-RM10
\$159

Metric Outside Micrometers



SIZES AVAILABLE UP TO 1000 mm

- Carbide measuring faces
- Setting standard included
- Ratchet stop

25 mm Outside Micrometer

Graduation: 0.01 mm
Accuracy: 4 µm
Jaw Reach: 29 mm
PN: AC-321-001-01
\$69

50-75 mm Outside Micrometer

Graduation: 0.01 mm
Accuracy: 5 µm
Jaw Reach: 53 mm
PN: AC-321-003-01
\$89

100-125 mm Outside Micrometer

Graduation: 0.01 mm
Accuracy: 6 µm
Jaw Reach: 65 mm
PN: AC-321-005-01
\$129

25-50 mm Outside Micrometer

Graduation: 0.01 mm
Accuracy: 4 µm
Jaw Reach: 39 mm
PN: AC-321-002-01
\$79

75-100 mm Outside Micrometer

Graduation: 0.01 mm
Accuracy: 5 µm
Jaw Reach: 65 mm
PN: AC-321-004-01
\$99

Imperial Outside Micrometers



SIZES AVAILABLE UP TO 40"

- Carbide measuring faces
- Setting standard included
- Ratchet stop

1" Outside Micrometer

Graduation: 0.0001"
Accuracy: ±0.00015"
Jaw Reach: 29 mm
PN: AC-324-001-01
\$79

2-3" Outside Micrometer

Graduation: 0.0001"
Accuracy: ±0.0002"
Jaw Reach: 53 mm
PN: AC-324-003-01
\$110

4-5" Outside Micrometer

Graduation: 0.0001"
Accuracy: ±0.00025"
Jaw Reach: 65 mm
PN: AC-324-005-01
\$139

1-2" Outside Micrometer

Graduation: 0.0001"
Accuracy: ±0.00015"
Jaw Reach: 39 mm
PN: AC-324-002-01
\$89

3-4" Outside Micrometer

Graduation: 0.0001"
Accuracy: ±0.0002"
Jaw Reach: 53 mm
PN: AC-324-004-01
\$109

Micrometer Sets

- Supplied with Calibration certificate



IMPERIAL SETS AVAILABLE

150-300 mm Micrometer 6 Piece Set

Set of 6 Micrometers
Range: 150-300 mm
Graduation: 0.01 mm
Accuracy: ± 4-6 µm
PN: AC-321-012-06
\$1199

75 mm Micrometer 3 Piece Set

Set of 3 Micrometers
Range: 0-75 mm
Graduation: 0.01 mm
Accuracy: 5 µm
PN: AC-321-003-03
\$219

100 mm Micrometer 4 Piece Set

Set of 4 Micrometers
Range: 0-100 mm
Graduation: 0.01 mm
Accuracy: ± 4-5 µm
PN: AC-321-004-04
\$369

150 mm Micrometer 6 Piece Set

Set of 6 Micrometers
Range: 0-150 mm
Graduation: 0.01 mm
Accuracy: ± 4-6 µm
PN: AC-321-006-06
\$599

300 mm Micrometer 12 Piece Set

Set of 12 Micrometers
Range: 0-300 mm
Graduation: 0.01 mm
Accuracy: ± 4-6 µm
PN: AC-321-012-12
\$1669

Coolant Proof Digital Micrometers



- Functions: mm/inch, Origin, zero point, ABS, Hold
- IP65 protection level
 - Carbide measuring faces
 - Ratchet stop.

25 mm Coolant Proof IP65 Dual Scale Digital Micrometer

Graduation: 01 mm
Accuracy: 3 µm
Jaw Reach: 25 mm
PN: AC-313-001-02
\$279

25-50 mm Coolant Proof IP65 Dual Scale Digital Micrometer

Graduation: 01 mm
Accuracy: 3 µm
Jaw Reach: 32 mm
PN: AC-313-002-02
\$329

3 Piece Measuring Tool Set

150 mm Digital Caliper

Resolution: 0.01 mm
Accuracy: ±0.03 mm

25 mm Outside Micrometer

Graduation: 0.01 mm
Accuracy: 4µm

Beveled Square

Size: 100 x 70mm
DIN875 grade 0
Squareness: 7µm



PN: AC-280-000-13

\$299

Micrometer Stand



Micrometer not included.

PN: AC-381-000-00

\$55

Tubular Inside Micrometer Sets



- Carbide measuring faces

50-300 mm Metric Tubular Inside Micrometer Set

Head Range: 13 mm
Graduation: 0.01 mm
PN: AC-352-012-01
\$399

50-600 mm Metric Tubular Inside Micrometer Set

Head Range: 13 mm
Graduation: 0.01 mm
PN: AC-352-024-01
\$499

Telescopic Gauge Set

Handle lengths: 115-137 mm
Gauge sizes: 8-12.7 mm, 12.7-19 mm, 19-32 mm, 32-54 mm, 54-90 mm & 90-150 mm



PN: AC-951-006-01

\$89

1/4" Centering Indicator

- For quick and accurate centering in boring and milling set-up
- Jeweled bearing
- Includes with 7 probes



Range: 0-3mm
Graduation: 0.01 mm
Size: 150 x 60 x 33 mm

PN: AC-297-003-11

\$339

300 MM Dual Scale Digital Output Height Gauge

Range: 0-300 mm/0-12"
Resolution: 0.01 mm/0.0005"
Accuracy: ±0.04 mm
Beam Width: 23 mm
External Jaw Reach: 80 mm
Length: 470 mm



PN: AC-181-012-11

\$549

Depth Caliper & Micrometers

25 mm Digital Depth Caliper

- USB data output

Resolution: 0.01 mm
Accuracy: ±0.03 mm

PN: AC-176-001-11

\$159



200 mm Digital Depth Caliper

PN: AC-171-008-11
\$199

300 mm Digital Depth Caliper

PN: AC-171-012-11
\$399

500 mm Digital Depth Caliper

PN: AC-171-020-11
\$749

Resolution: 0.01 mm
Accuracy: ±0.03 mm

0-150 mm Micrometer with Captive Anvils

Accuracy: ±3 µm
Base size: 101.5 x 17 mm

PN: AC-392-006-01


\$369





1/4" Shank Double-Cut Carbide Burrs

Standard & Non-ferrous 1/4" Shank Carbide Burrs are available in three head diameters.



Stainless Carbide Burrs also available.

Oval Burrs

Size	Length	PN	Price
1	2"	CBSE1	\$45
3	2 3/8"	CBSE3	\$66
5	2 5/8"	CBSE5	\$88

Radiused Tree Burrs

Size	Length	PN	Price
1	2"	CBSF1	\$45
3	2 1/2"	CBSF3	\$66
5	2 3/4"	CBSF5	\$88

Pointed Tree Burrs

Size	Length	PN	Price
1	2"	CBSG1	\$45
3	2 1/2"	CBSG3	\$66
5	2 3/4"	CBSG5	\$88

Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSA1	\$45
3	2 1/2"	CBSA3	\$66
5	2 3/4"	CBSA5	\$88

End Cut Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSB1	\$45
3	2 1/2"	CBSB3	\$66
5	2 3/4"	CBSB5	\$88

Radiused Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSC1	\$45
3	2 1/2"	CBSC3	\$66
5	2 3/4"	CBSC5	\$88

Ball Burrs

Size	Length	PN	Price
1	2"	CBSD1	\$45
3	2 1/8"	CBSD3	\$66
5	2 1/4"	CBSD5	\$88

Flame Burrs

Size	Length	PN	Price
1	2 3/4"	CBSH1	\$45
3	2 1/2"	CBSH3	\$66
5	3"	CBSH5	\$88

Radiused Cone Burrs

Size	Length	PN	Price
1	2"	CBSL1	\$45
3	3"	CBSL3	\$66
5	3"	CBSL4	\$88

Cone Burrs

Size	Length	PN	Price
1	1 7/8"	CBSM1	\$45
3	2 1/2"	CBSM4	\$66
5	2 3/4"	CBSM5	\$88

Inverted Cone Burrs

Size	Length	PN	Price
1	2"	CBSN1	\$45
3	2 1/8"	CBSN3	\$66
5	2 1/4"	CBSN5	\$88

60° Countersink Burrs

Size	Length	PN	Price
1	2"	CBSJ1	\$45
3	2 1/4"	CBSJ3	\$66
5	2 3/8"	CBSJ5	\$88

90° Countersink Burrs

Size	Length	PN	Price
1	2"	CBSK1	\$45
3	2 1/8"	CBSK3	\$66
5	2 1/8"	CBSK5	\$88

1/4" Extended Carbide Burrs

6" Extended Size 3 Double-Cut Burrs

Shape	PN	Price
Cylinder	CBSA3L6	\$105
End Cut Cylinder	CBSB3L6	\$105
Radiused Cylinder	CBSC3L6	\$105
Ball	CBSD3L6	\$105
Oval	CBSE3L6	\$105
Radiused Tree	CBSF3L6	\$105
Pointed Tree	CBSG3L6	\$105
Radiused Cone	CBSL3L6	\$105

6" Extended Size 3 Non-ferrous Burrs

Shape	PN	Price
Radiused Cylinder	CBSC3L6NF	\$105
Ball	CBSD3L6NF	\$105
Oval	CBSE3L6NF	\$105
Radiused Tree	CBSF3L6NF	\$105
Flame	CBSH3L6NF	\$105

Carbide Burr Sets

1/8" Head Carbide Burr 10 Piece Set

Shank Dia: 1/8"



\$205

PN: CBSET10

3/8" Head Carbide Burr 3 Piece Set

Shank Dia: 1/4"



\$165

PN: CBSET3

1/4" & 3/8" Head Burr 8 Piece Set

Shank Dia: 1/4"



\$339

PN: CBSET8

1/2" Head Carbide Burr 5 Piece Set

Shank Dia: 1/4"



\$365

PN: CBSET5

3/8" Head Non-ferrous Burr 3 Piece Set

Shank Dia: 1/4"



\$195

PN: CBSET3NF

3/8" Head Stainless Burr 3 Piece Set

Shank Dia: 1/4"



\$209

PN: CBSET3INOX

NG6 NEXT GENERATION ACCELERATOR

Patent pending geometry and **ACCELERATOR** Coating has shown up to double the rate of stock removal over conventional burrs.*



Radiused Tree Burrs

Size	Length	PN	Price
3	2 1/2"	CBSF3NG6C	\$83
5	2 3/4"	CBSF5NG6C	\$115

Radiused Cylinder Burrs

Size	Length	PN	Price
3	2 1/2"	CBSC3NG6C	\$83
5	2 3/4"	CBSC5NG6C	\$115

Cylinder Burrs

Size	Length	PN	Price
3	2 1/2"	CBSA3NG6C	\$83
5	2 3/4"	CBSA5NG6C	\$115

Ball Burrs

Size	Length	PN	Price
3	2 1/8"	CBSD3NG6C	\$83

NG6 Burr Sets

3/8" Head
NG6 Coated
3 Piece Burr Set

\$249
PN: CBSF3NG6C

1/2" Head
NG6 Coated
3 Piece Burr Set
Shank Dia: 1/4"

\$379
PN: CBSF35NG6C



1/4" & 3/8" Head NG6 Coated
8 Piece Burr Set

Shank Dia: 1/4"



\$419
PN: CBSF8NG6C

* NG6 Coated Burrs should be operated at a minimum of 25,000 RPM.

1/4" Shank Non-ferrous Carbide Burrs

Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSA1NF	\$66
3	2 1/2"	CBSA3NF	\$83
5	2 3/4"	CBSA5NF	\$105

Radiused Cone Burrs

Size	Length	PN	Price
1	2"	CBSL1NF	\$66
3	3"	CBSL3NF	\$83
5	3"	CBSL4NF	\$105

Radiused Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSC1NF	\$66
3	2 1/2"	CBSC3NF	\$83
5	2 3/4"	CBSC5NF	\$105

Cone Burrs

Size	Length	PN	Price
3	2 1/2"	CBSM4NF	\$105

Ball Burrs

Size	Length	PN	Price
1	2"	CBSD1NF	\$66
3	2 1/8"	CBSD3NF	\$83
5	2 1/4"	CBSD5NF	\$105

Pointed Tree Burrs

Size	Length	PN	Price
1	2"	CBSG1NF	\$66
3	2 1/2"	CBSG3NF	\$83
5	2 3/4"	CBSG5NF	\$105

Oval Burrs

Size	Length	PN	Price
1	2"	CBSE1NF	\$66
3	2 3/8"	CBSE3NF	\$83
5	2 5/8"	CBSE5NF	\$105

Radiused Tree Burrs


Size	Length	PN	Price
1	2"	CBSF1NF	\$66
3	2 1/4"	CBSF3NF	\$83
5	2 3/8"	CBSF5NF	\$105

1/8" Carbide Burrs

1/8" Shank Carbide Burrs are available in the following head diameters:

Size 00 3/32" Head


Size 0 1/8" Head



Shape	Size	PN	Price
Cylinder	0	CBSA43	\$28
Cylinder	00	CBSA42	\$28
Radiused Cylinder	0	CBSC41	\$28
Radiused Cylinder	00	CBSC42	\$28
Ball	0	CBSD42	\$28
Oval	0	CBSE41	\$28
Radiused Tree	0	CBSF42	\$28
Pointed Tree	0	CBSG43	\$28
Radiused Cone	0	CBSL42	\$28
Cone Burr	0	CBSM42	\$28

Carbide Burr Operating Guide

These are recommended speeds for **Standard Length Burrs** with no more than a 1/2" overhang from the die-grinder collet. **NG6 Coated Burrs** should be operated at a minimum of 25K. **Extended Burrs** are generally subject to much lower maximum safe speeds.



Deburring Hex Body Handle with Pocket Clip

Aluminium 8 mm Hex body handle with pocket clip & non-replaceable C-10 blade.



\$9

PN: GD86110

Hex Body Handle with C-10 Blade

10 mm Hex Handle Deburring Tools A/F Hex. Aluminium body handle with replaceable GDSC10 blades.



\$16

PN: GD86060

3.2 MM Quick Release Mini Deburrer

Holds all standard 3.2 mm deburring blades. Includes replaceable 3.2 Mm (C-10) blade.



\$24

PN: GDET2

6 MM Heavy Duty Quick Release Deburrer

**HEAVY DUTY
MSS HSS
BLADE!**



- Ideal for stainless & mild steel
- Removable cap for blade storage
- 6 mm Heavy Duty Quick Release Handle (GDSRSDMK) with 6 mm heavy duty blade (GDSR10S).

\$37

PN: GDSRSDMKK

Double Deburrer

- Deburrs both sides of workpiece at same time
- Perfect for sheet metal finishing
- Finger guard

**REPLACEABLE
BLADES**



\$31

PN: GDDB

24 Piece Deburring Set

Set includes a comprehensive range of Multi-Component and Quick Release Handles, 2.6, 3.2, & 6 mm Blades, Double Sided, Key-Way, Countersink Blades and a ceramic blade.

**DEBURR ANYTHING
FROM PLASTIC TO
STAINLESS STEEL!**



\$295

PN: GD88030

Quick Release Handle with 3.2 MM MC-blades

3.2 mm Standard Quick Release Handle (GDSDSDMK) with Multi-cutting Edge

\$39

PN: GD38333

Deburring blades:



GDSMC10, (steel, aluminium, copper, zinc),
GDSMC20, (steel, aluminium, copper, zinc)
GDSMC101 (cast iron, brass)



Ergonomic Deburring Tool & Blade Set

Quick Release Handle with 10 assorted 3.2 mm blades. Storage for blades in handle.

\$53

PN: GD88040

Set Includes:

3.2 mm Standard Quick Release Handle (GDSDSDMK)

Standard 3.2 mm Deburring blades:



2 x GDSC10 (aluminium, copper, zinc),
2 x GDSC101 (steel & aluminium),
2 x GDSC15 (stainless steel & hard plastics),
2 x GDSC20 (cast iron, brass),
1 x GDSC30 (aluminium, copper, zinc),
1 x GDSC35 (aluminium, copper, zinc)



Telescopic Multifunction Deburring Tool

Includes Multi-Component Handle (GDSTSDMK) & blade holder and the following standard 3.2 mm deburring blades:



GDSC10 (aluminium, copper, zinc),
GDSC15 (stainless steel & hard plastics),
GDSC20 (cast iron, brass),
GDSC30 (aluminium, copper, zinc),
GDSC35 (General purpose)



\$55

PN: GD38325

Hex-Drive Pipe Deburring Bits

- Quickly deburr internal & external edges of cylindrical work pieces with superior results.
- Can be used with power tools, by hand or with a 1/4" Hex Drive Ratchet Handle (PN: GD46030)
- Made from (M2 Grade) HSS



Drill not included.

OD Range: 16-31 MM
ID Range: 16-35 MM
Angle: 45°

\$110

PN: GD16319-2F

OD Range: 22-42 MM
ID Range: 22-46 MM
Angle: 60°

\$159

PN: GD22426-2F

OD Range: 16-31 MM
ID Range: 16-35 MM
Angle: 60°

\$110

PN: GD16316-2F

OD Range: 40-58 MM
ID Range: 40-62 MM
Angle: 45°

\$195

PN: GD40589-2F

OD Range: 22-42 MM
ID Range: 22-46 MM
Angle: 45°

\$135

PN: GD22429-2F

OD Range: 40-58 MM
ID Range: 40-62 MM
Angle: 60°

\$225

PN: GD40586-2F

Workshop Stools & Creepers

Workshop Stool

- 100 MM swivel casters, with 2 lockable
 - Centre mounted pull out drawer
 - Metal Frame
- Size: 670L x 330D x 380H mm
Max. Load: 130 Kg



PULL OUT DRAWER

\$149
PN: GWS

Adjustable Hydraulic Stool

- Adjustable seat height
- 4" swivel wheels (2 lockable)
- Wide HDPE double walled seat
- Bottom Organiser tray
- Metal Frame

Height Range: 450-560 mm
Size: 540L x 390W x 560H mm
Max. Load: 150 Kg



STEEL FRAME →

\$239
PN: GAHS

Mechanics Creeper

Size: 1005 x 470 x 135 mm
Wheel Size: 75 x 25 mm

- Integrated side trays
- Made in Taiwan

STEEL REINFORCED CASTER MOUNTS



150 kg Load Rating

\$189
PN: GCR40

Workshop Trolleys

Plastic Parts Trolley

- Rounded corners protect walls & furniture
- Soft 4" PVC wheels (2 lockable)
- Deep Pocket shelves
- Handles both ends

Size: 82 x 47 x 105cm
Capacity: 130 Kg



MADE FROM HDPE PLASTIC

\$269
PN: GT3SP

Compact Heavy Duty Parts Trolley

- 3 Shelves
- 1.6 MM steel uprights.

Size: 410W x 760D x 885H mm (including handle)



MAX RATING 150KG

\$295
PN: GT3S

Heavy Duty Parts Trolley

- 3 Shelves, side container and drawer
- 1.6 MM steel uprights.

Size: 470W x 785D x 825H mm (including handle)



MAX RATING 150KG

\$355
PN: GT3SD

Heavy Duty Parts Trolley

- 3 Shelves, side container and drawer
- Enclosed front & rear for extra rigidity.
- Takes up to 100 Kg per shelf, max total weight 200 Kg per unit.

Size: 500W x 873D x 880H mm (including handle)



LOAD RATING 200KG

\$589
PN: CTH5086

Wall mountable Pivot Drawers

Pivot drawers slot together vertically or horizontally, to be safely mounted to walls or benches. Windowed drawers keep all your spare parts in plain sight with reduced exposure to dust, moisture or other contaminants.

8 Compartment Pivot Drawer Set

Size: 300W x 200H x 67D mm



\$38
PN: FO308

6 Compartment Pivot Drawer Set

Size: 300W x 250H x 106D mm



\$38
PN: FO306

5 Compartment Pivot Drawer Set

Size: 600W x 150H x 123D mm



\$52
PN: FO605

4 Compartment Pivot Drawer Set

Size: 600W x 200H x 167D mm



\$69
PN: FO604

Single Sided 46 Bin Pivot Drawer Cart

Includes
2 x FO308, 2 x FO306,
2 x FO605 & 2 x FO604,
46 bins in all

\$899

PN: MSFO4568

Double Sided 92 Bin Pivot Drawer Cart

Includes 4 x FO308,
4 x FO306, 4 x FO605 &
4 x FO604, 92 bins in all

\$1,399

PN: MSFO4568X2

Cart Size: 690W x 560D x 1460H mm

UP TO 92 BINS OF STORAGE!



Heavy Duty A7 Parts Cabinets

Each drawer comes with 2 movable dividers.
The front face of each drawer features a window.

Lockable 48 Drawer Parts Cabinet

Size: 586W x 270D x 970H mm

\$799

PN: A7448D

Lockable 24 Drawer Parts Cabinet

Size: 444W x 270D x 677H mm

\$669

PN: A7324D



LOCKABLE DOORS

Steel HD Series Parts Cabinets

HD cabinets take up to 100 kg per shelf. Each drawer comes with 2 movable dividers and is acid and oil resistant. The front face of each drawer features a window which makes it easy to identify the contents.

15 Drawer Steel Parts Cabinet

Size: 880W x 400D x 440H mm

Drawer size: 160W x 110H x 410D mm



\$575

PN: HD515

18 Drawer Steel Parts Cabinet

Size: 550W x 400D x 880H mm

Drawer Size: 160W x 110H x 410D mm

30 Drawer Steel Parts Cabinet

880W x 400D mm x 880H mm

Drawer size: 160W x 110H x 410D mm



\$699

PN: HD318



\$945

PN: HD530

HD-Series Storage Bins

The 60 drawer NHD560 takes up to 600 kg total weight and up to 100 kg per shelf. Each drawer comes with 2 movable dividers and is acid and oil resistant. The window front makes it easy to identify the contents.
Size: 880W x 400D x 1725H mm



The HD drawers are designed to be fully opened and not fall out, even at the 10 kg maximum weight limit and feature transparent windows for easy parts identification.

Each drawer comes with 2 movable dividers and is acid and oil resistant.
Drawer size: 140W x 370D x 100H mm

HD Drawer

Internal size: 140W x 370D x 100H mm
Can take up to 7 Dividers



\$20

PN: HD1641

60 Drawer HD Series Steel Parts Cabinet

The 60 drawer NHD560 takes up to 600 kg total weight and up to 100 kg per shelf. Each drawer comes with 2 movable dividers and is acid and oil resistant. The window front makes it easy to identify the contents.
880W x 400D x 1725H mm



\$1,799

PN: NHD560

Multi Function Storage Bin

Includes bin and lid. Made from high impact polypropylene.
Size: 450W x 360D x 250H mm

The NHA3645 bins can be stacked without a lid or nested together when not being used.

Rotate and nest bins together.

Stack bins with no lid needed.



\$38

PN: NHA3645K



HD Drawer Dividers

Packet of 10



\$20

PN: HD1641DIV

30 Drawer Parts Cabinet

980W x 400D x 1010H mm

(inc handle and caster wheels)



\$1,155

PN: NHD530

Multi-Function Bins & Crates

Jumbo Storage Bin

Includes removable two stage folding lid. Made from impact resistant polypropylene.
Size: 395W x 635D x 335H mm



TAKES UP TO 30KG!

50 LITRE CAPACITY!

\$75

PN: HB4068B

Foldable Crates

Stackable in both collapsed and extended configuration

Size: 535W x 360D x 280H mm
Collapsed Height: 50 mm

SPACE SAVING COLLAPSIBLE DESIGN



\$51

PN: FB5336B

HB-Series Storage Bins

Geiger Small Short Bin

Size: 105W x 137D x 76H mm



\$6 ea

- PN: HB210B
- PN: HB210R

Geiger Small Bin

Size: 105W x 187D x 76H mm



\$7 ea

- PN: HB220B
- PN: HB220R

Geiger Medium Bin

Size: 140W x 276D x 127H mm



\$13 ea

- PN: HB230B
- PN: HB230R

Geiger Large Short Bin

Size: 210W x 273D x 178H mm



\$22 ea

- PN: HB239B
- PN: HB239R

Geiger Medium Duplex Bin

- Includes duplex divider

Size: 279W x 276D x 127H mm



\$19 ea

- PN: HB235B
- PN: HB235R

Geiger Large Duplex Bin

- Includes duplex divider

Size: 420W x 375D x 178H mm




\$32 ea

- PN: HB250B
- PN: HB250R

Mobile HB Storage Cart

Make your HB bins mobile with this hanging display unit with caster wheels (2 with brakes). This is an excellent time and space saver for any workshop.



HB Bins are easily detached from the storage cart, making it easy to take only what you need to the work area, while keeping items organized.

Includes Heavy Duty Galvanized Steel Cart with 72 x HB220 and 32 x HB230 bins, in combination of


- Blue or ● Red.

Overall Size:

740W x 560D x 1460H mm


\$1,199

PN: MS20020K



Wall Mountable

All HB series bins can be wall mounted when combined with HP Hanging Panels (see HP1 & HP1KIT). HP Panels can be tiled together and mounted horizontally or vertically.



Free Standing Bench Storage

Included with all HB bins are four interlocking legs which create free-standing versatile bench storage.

Set of 2 Hanging Panels

Includes 2 Panels, screws & wall plugs.
Size: 605W x 455H x 8D mm

\$83

PN: HP1



Heavy Duty A-Series Parts Cabinets

ST2



Drawer Size: 120W x 210D x 55H mm

60 Drawer Parts Cabinet

\$669

PN: ST2460

Size: 586W x 222D x 937H mm

A5



Drawer Size: 163W x 289D x 69H mm

36 Drawer Parts Cabinet

\$625

PN: A5336

Size: 586W x 290D x 937H mm

24 Drawer Parts Cabinet

\$489

PN: A5324

586W x 290D x 640H mm

A7



Drawer Size: 120W x 218D x 69H mm

48 Drawer Parts Cabinet

\$499

PN: A7448

Size: 586W x 222D x 937H mm

24 Drawer Parts Cabinet

\$339

PN: A7324

Size: 444W x 222D x 642H mm

A8



Drawer Size: 90W x 218D x 70H mm

60 Drawer Parts Cabinet

\$595

PN: A8560

Size: 586W x 222D x 937H mm

32 Drawer Parts Cabinet

\$359

PN: A8432

Size: 466W x 222D x 642H mm

15 Drawer Parts Cabinet

\$239

PN: A8315

Size: 355W x 222D x 415H mm

Size: 586W x 222D x 350H mm



Automotive Screw Kits

Japanese Sems Fine Hex Bolts

140 piece kit includes an assortment of 8 types of M5x16, M5x20, M5x25, M6x16, M6x20, M6x25, M8x16, M8x20, M8x25 & M8x30 Japanese Automotive Fine Hex Sems screws.



\$50

PN: AAK01

Pan Compi (Sems) Machine Screws

180 piece kit includes an assortment of 8 types of Pan Compi Machine Screws, ranging from M3x25, M5x12, M5x16, M5x20, M5x25, M6x16, M6x20 & M6x25.



\$41

PN: AAK07

Japanese Sems Hex Bolts

50 piece kit includes an assortment of 8 types of Fine and Standard Course Japanese Automotive Hex Sems Screws ranging from M8x1.25x35 to M10x1.25x40.



\$54

PN: AAK02

DIN 912 Socket Head Cap Screws

120 piece kit includes an assortment of 10 types of DIN 912 (grade 12.9) Allen socket cap screws, ranging from M5x16 & M10x30.



\$47

PN: AAK17

Japanese Sems Hex Fender Screws

130 piece kit includes an assortment of 8 types of hex (sems) fender screws (JIS spec), ranging from No.8 (4.2 mm x 16) to No.14 (6.3 mm x 19).



\$49

PN: AAK03

DIN 916 Socket Head Grub Screws

300 piece kit includes an assortment of 8 types of DIN 916 (grade 10.9) Allen head grub screws, ranging from M4x10 & M6x16.



\$56

PN: AAK18

Mushroom Pozidrive Self Tapping Screws

200 piece kit includes an assortment of 8 types of Pozidrive Self Tapping Screws, ranging from M8 (4.2 mm x 19) to No.10 (4.8 mm x 30).



\$38

PN: AAK04

DIN 7991 C'sunk Socket Head Screws

160 piece kit includes an assortment of 10 types of DIN 7991 (grade 10.9) Allen socket countersunk screws, ranging from M4x12 to M10x30.



\$51

PN: AAK19

Automotive Electrical Kits

Spade, Flag, Butt & Bullet Connectors

110 piece kit includes an assortment of 19 types of spade, flag, butt & bullet connectors, in a variety of Blue Red & Yellow.



\$57

PN: AAK21

Medium Blade Fuses

50 piece kit includes an assortment of 10 types of Medium Blade Fuses, ranging from 7.5 AMP, 10 AMP, 15 AMP, 20 AMP, 25 AMP, 35 AMP, 40 AMP Fuses.



\$41

PN: AAK24

Pre-Insulated Electrical Terminals

125 piece kit includes an assortment of 20 types of pre-insulated Round and Male Bullet electrical terminals, in a variety of Blue, Red, & Yellow.



\$57

PN: AAK22

Heat Shrink Tubing

171 piece kit includes tubing in standard colours & lengths of 30, 60, 90 mm & 1m, diameters between 2.0 & 10.0 mm, a thermal rating of -55 to 125°C, voltage rating up to 600V, a shrink ratio of 2:1 and compliances with RoHS, cRU, CSA.



\$39

PN: AAK33

Automotive Clip & Split Pin Kits

Speed Clips & Nuts

90 piece kit includes an assortment of 7 types of speed clips & nuts, ranging from (No. 10) 4.8 mm to (No.14) 6.3 mm Speed Clips and 5 & 6 mm Speed Nuts.



\$55

PN: AAK05

DIN 6799 Black Oxide E Clips

300 piece kit includes an assortment of 8 types of DIN 6799 black oxide e clips, ranging from M3, M4, M5, M6, M7, M8, M10 & M12.



\$44

PN: AAK20

DIN 94 Split Pins - Small Kit

300 piece kit includes an assortment of 9 types of DIN 94 split pins, ranging from 2 mm dia. x 25 mm to 5 mm dia. x 63 mm Split Pins.



\$44

PN: AAK08

Internal Circlips

120 piece kit includes an assortment of 16 types of internal circlips, ranging from M5 to M24.



\$47

PN: AAK29

DIN 94 Split Pins - Large Kit

500 piece kit includes an assortment of 10 types of DIN 94 split pins, ranging from 1.6 mm dia. x 32 mm to 5 mm dia. x 50 mm Split Pins.



\$65

PN: AAK09

External Circlips

120 piece kit includes an assortment of 16 types of external circlips, ranging from M5 to M24.



\$47

PN: AAK30

Automotive Grease Nipple Kits

Grease Nipples - Small Kit

50 piece kit includes an assortment of 8 types of grease nipples, ranging from GN10A 1/8 BSP, GN112 1/8 NPTx90°, GN12A 1/8 BSPx90°, GN13 1/4 SAE/UNF, GN30 M6x1x45°, GN26 M8x1.25, GN28 M8x1.25x90° & GN36 M8x1x45° Grease Nipples.



\$58

PN: AAK15

Grease Nipples - Large Kit

100 piece kit includes an assortment of 8 types of grease nipples ranging from GN10A 1/8 BSP, GN112 1/8 NPTx90°, GN12A 1/8 BSPx90°, GN13 1/4 SAE/UNF, GN30 M6x1x45°, GN26 M8x1.25, GN28 M8x1.25x90°, GN36 M8x1x45° Grease Nipples.



\$98

PN: AAK16



Automotive Nut, Bolt & Stud Kits

Japanese Automotive Nuts

140 piece kit includes an assortment of 10 types of fine & course Japanese automotive nuts, ranging from M6x1.25 to M12x1.5.



\$40

PN: AAK06

Exhaust Manifold Studs & Nuts

80 piece kit includes an assortment of 8 types of exhaust manifold studs & nuts ranging from M8x1.25 to M10x1.5 Copper Nuts and M8x1.25x40 to M10x1.5x50 Studs.



\$80

PN: AAK11

Self Locking Nuts

100 piece kit includes an assortment of 9 types of Nyloc & All Metal Self Locking, in Extra Fine, Fine & Course, ranging from M6 to M12.



\$42

PN: AAK10

Durlock Flange Bolts & Flange Nuts

100 piece kit includes an assortment of 12 types of (Std Course Thread) DIN 6921 durlock flange Bolts & DIN 6923 flange nuts and bolts, ranging from M6x12 to M10x25.



\$68

PN: AAK26

Automotive Washer Kits

DIN 7604A Soft Annealed Copper Washers

130 piece kit includes an assortment of 8 types of DIN 7604a Small Soft Annealed Copper Washers, ranging from M6 to M18.



\$61

PN: AAK12

Fibre Washers

250 piece kit includes an assortment of 8 types of Fibre Washers, ranging from M4 (4.3 x 9 x 0.8 mm) to M16 (16.1 x 22 x 0.8 mm).



\$53

PN: AAK13

DIN 6798 Internal & External Star Washers

300 piece kit includes an assortment of 10 types of DIN 6798 internal & external star washers, ranging from M5, M5, M6, M6, M8, M8, M10, M10, M12 & M12.



\$33

PN: AAK14

Automotive O-Ring Kits

Nitrile 70 Duro Shore A Imperial O-rings

225 piece kit includes an assortment of 18 types of nitrile 70 duro shore a imperial o-rings ranging from 3/32" ID x 1/16" (2.38 mm ID x 1.78 mm) to 13/16" ID x 5/32" (20.22 mm ID x 3.53 mm).



\$47

PN: AAK31

NBR-70 Standard Metric O-rings

386 piece kit includes an assortment of 30 types of NBR-70 standard metric o-rings ranging from 3.0 mm ID x 2.0 mm CS (R-01) to 44 mm ID x 4.0 mm CS (R-30).



\$74

PN: AAK32

Driver Kits

Pozidrive, Square & Magnetic Nut Setters

60 piece kit includes an assortment of 10 mm Magnetic Nut Setters, 3/8 Magnetic Nut Setters, No.1x25, No.3x25, No.3x50, No.2x25, No.2x50 Pozi Bits, No.1x50 long Pozi Bits, No.1x25, No.1x50, No.2x25, No.2x50 Square Drive Bits.



\$115

PN: HAK39

Zinc plated Spring Washers

500 piece kit includes an assortment of 8 types of Zinc Plated Spring Washers, ranging from M3, M4, M5, M6, M8, M10, M12 & M16.



\$33

PN: HAK06

Heavy Duty Zinc Plated Flat Washers

500 piece kit includes an assortment of 8 types of heavy duty zinc plated flat washers, ranging from M3, M4, M5, M6, M8, M10, M12 & M16.



\$36

PN: HAK07

Rivet Kits

Aluminum Pop Rivets

300 piece kit includes an assortment of AS 40-10, AS 40-12, AS 48-10, AS 48-12, AS 48-15, AS 48-18 Aluminum Pop Rivets and AS 48-10 & AS 48-12 Aluminum White Pop Rivets.



\$36

PN: HAK15

Alum. C'sunk & Large Flange Pop Rivets

200 piece kit includes an assortment of 32-10, 48-12, 48-15, 48-18 Countersunk Rivets and 40-12, 40-15, 48-10, 48-15 Large Flange Rivets.



\$33

PN: HAK16

Penny Washer Kits

Small Fender (Penny) Washers

300 piece kit includes an assortment of M3x12.5, M4x 16, M4x12.5, M5x 16, M5x25, M6x 19, M6x22 & M6x32 Zinc Plated Fender (Penny) Washers.



\$41

PN: HAK13

Large Fender (Penny) Washers

150 piece kit includes an assortment of M6x25, M8x 19, M8x25, M8x32, M10x25, M10x30, M12x30, M12x40 Zinc Plated Fender (Penny) Washers.



\$33

PN: HAK14

Nut & Bolt Kits

Mild Steel Zinc Plated Nuts & Bolts

150 piece kit includes an assortment of 8 types of Mild Steel Zinc Plated M6 & M8 nuts & bolts, ranging from, M6x25, M6x16, M8x20, M8x25, M8x30 & M8x40.



\$39

PN: HAK11

Zinc Plated Hex Nuts

200 piece kit includes an assortment of 8 types of DIN 934 Zinc Plated Hex Nuts, ranging from M4, M5, M6, M8, M10, M12, M14 & M16.



\$33

PN: HAK12

Self Tapping Screws

Pan Pozi Self Tapping Screws

500 piece kit includes an assortment of 14 types of zinc plated pan pozi self tapping screws ranging from No. 4 (2.9 mm x 16) to No. 12 (5.5 mm x 25).



\$50

PN: HAK01

Pan Combi Self Tapping Screws

500 piece kit includes an assortment of 14 types of zinc plated pan combi self tapping screws ranging from No. 4 (2.9 mm x 16) to No. 12 (5.5 mm x 25).



\$50

PN: HAK03



Screwdrivers

Precision Screwdriver Set

- Made from industrial grade Chrome Vanadium Steel Alloy (Cr-V) for superior durability and rust resistance.
- PP+TPV Rubber Soft Grip Handle provides users with greater comfort and torque application.
- Permanent magnetic tips enable placement of fasteners in confined areas.

Phillips Sizes: 00, 0 & 1
 Slotted Sizes: 1.6, 2, 2.4 & 3.15 mm
 Shank: 60 mm



7-Piece Set
\$45
 PN: MP002007

Slotted & Phillips Screwdriver Set

- Made from industrial grade Chrome Vanadium Steel Alloy (Cr-V) for superior durability and rust resistance.
- PP+TPV Rubber Soft Grip Handle provides users with greater comfort and torque application.
- Permanent magnetic tips enable placement of fasteners in confined areas.

8-Piece Set Includes:
 6.5 mm slot / 38 mm shank #2 Phillips / 38 mm shank
 5 mm slot / 75 mm shank #1 Phillips / 75 mm shank
 6 mm slot / 100 mm shank #2 Phillips / 100 mm shank
 8 mm slot / 150 mm shank #3 Phillips / 150 mm shank



8-Piece Set
\$69
 PN: MP002008

Torx Screwdriver Set

- Permanent and strong magnetic tips to firmly hold screws.
- PP+TPV Rubber Soft Grip Handle provides users with greater comfort and torque application.
- Patented SVCM Satin Chrome Plated Steel.
- Meets and even exceeds ANSI standards for performance and quality.

Set Includes: T10, T15, T20, T25, T27, T30, T40
 Shank: 100 mm



7-Piece Set
\$65
 PN: MP002010

7-in-1 Ratcheting Nut & Screwdriver Driver

Includes 25-Tooth Ratchet Screwdriver with storage for two double ended bits: Phillips #1 / 5 mm slot & Phillips #2 / 6mm slot. It also features a Stainless Steel Collar with 1/4 & 5/16 Hex tips with magnetised bit tips to hold screws.



25 TOOTH RATCHET
\$35
 PN: MP002025

19-in-1 Multi Bit Ratchet Screwdriver

Includes an assortment of 16 tips:
1/4" Hex x 75 mm double end bits:
 3 mm Slotted & Phillips #0
 5 mm Slotted & Phillips #1
 6.5 mm Slotted & Phillips #2
 1/8" Hex & Hex 3/16"
 T15 Torx & T20 Torx
 Pozi #1 & Pozi #2
 Square #1 & Square #2
5/16" Hex x 75 mm double end bits:
 Phillips #3 & Slotted
Nutdrivers:
 2 x Nutdrivers on tube 1/4" x 5/16"
 1 x Nutdriver on ratchet 7/16"



25 TOOTH RATCHET
\$39
 PN: MP002001

Precision Two-Way Ratcheting Screwdriver Set

Set Includes 30-Tooth Full Aluminium Ratcheting Screwdriver, H4 mm x 50 mm L Bits in Phillips: #000 / #00 / #0 / #1 / #2 / #3
 Slotted: 1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 4.0 / 6mm
 Torx: T5 / T6 / T7 / T8 / T9 / T10 / T15 / T20 / T25
 Hex: H1.5 / H2.0 / H2.5
 Square: S1/S2



30 TOOTH RATCHET



31-Piece Set
\$69
 PN: MP002026

Precision Hook & Pick Set

Includes full hook, right angled hook, angled hook and straight pick.



4-Piece Set
\$29
 PN: MP002006

Magnetic Parts Trays

- Specially designed swiveling rim keeps non-magnetic parts from falling out when hung vertically.

Set includes 150 mm circular magnetic tray & 240 x 150 mm magnetic tray

Weight capacity: 2 kg (magnetic)



2-Piece Set

\$75

PN: MP009014

16L No-Spills Oil Drain Pan

- Specially designed to easily drain and dispose of waste oil with it's specially designed anti-splash spout.
- Made from durable high density polyethylene.

\$39

PN: MP009063

Size: 580L x 480W x 150H mm
Capacity: 16L



Fabricating Tools

Curved Jaw Locking Pliers

Jaw grip range: 25 mm
Length: 250 mm



\$28

PN: MP003002

Locking Sheet Metal Clamp Pliers

Jaw grip range: 25 mm
Jaw face: 80 x 40 mm
Length: 200 mm



\$37

PN: MP003064

Locking C-Clamp

- Swivel Pads

Jaw Face: 30 x 30 mm
Internal Jaw Size:
90W x 70L mm
Length: 290 mm



\$46

PN: MP003063

Straight Jaw Locking Plier

Jaw grip range: 25 mm
Length: 250 mm



\$28

PN: MP003062

Set of 6 Pliers

- Forged Steel

6 piece set includes
Large & Small Slip Joint Pliers,
Diagonal Cutting Pliers,
Long Nose Pliers,
Lineman's Pliers,
Groove Joint Pliers



\$148

PN: MP003059

Ball Peen Hammers

- Drop-forged steel head with sand-blasted finish
- Fibreglass handle with soft anti-slip vibration absorbing TPR grip



16 Oz / 325 mm
Ball Peen Hammer

\$35

PN: MP004007

24 Oz / 380 mm
Ball Peen Hammer

\$45

PN: MP004008

22 oz / 30 cm Soft Hammer

- Shock & Spark Resistant Head
- Non-marring, Double ended Soft Mallet



\$49

PN: MP004026

16 oz Claw Hammer

- Fibreglass handle with soft anti-slip vibration absorbing TPR grip
- Drop-forged steel head with sand-blasted finish



\$35

PN: MP004005

Stainless Multi-Purpose Shears

- Serrated blades to ensure precise and clean cuts
- Lower blade has an anti-slip wire cutting notch
- Manufactured from heavy duty corrosion resistant Japanese stainless steel
- Ergonomically designed for both left & right handed users



\$35

PN: MP010027

Stainless Workshop Scissors

- Serrated blades to ensure precise and clean cuts
- Design integrates wire stripper and terminal crimper
- Manufactured from heavy duty corrosion resistant Japanese stainless steel



\$45

PN: MP010025

Wire Striping Capacity: 16-12 AWG
Wire Cutting Capacity 3.5 mm (Aluminium & Copper)
Notch Blade Size: 8.5mm (0 AWG)



Wrenches

Combination Wrenches

- Combination Wrenches with patented super comfortable spiral grip design
- The 12-Point closed end doubles the access angle compared to 6-point
- 0 & 15 degree taper at the open end allows better accessibility



Metric Combination Wrenches

8 piece set includes 8, 10, 11, 12, 13, 14, 17 & 19 mm

\$119

PN: MP001015

Imperial Combination Wrenches

8 piece set includes 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" & 3/4"

\$119

PN: MP001014

Impact Adapter & Reducer Set

- Meet or exceed DIN & ANSI standards.
- Made from Chrome Molybdenum Steel

4-piece impact adapter & reducer set includes:

- 1/4"(F) to 3/8"(M)
- 3/8"(F) to 1/4"(M)
- 3/8"(F) to 1/2"(M)
- 1/2"(F) to 3/8"(M)



4-Piece Set

\$26


PN: MP005023

11-in-1 Ratchet Wrench with Interchangeable Gear Rings

- Our gear ring spanner replaces the need to carry a full range of wrenches. Simply insert the desired gear ring and start using it!

Includes 90 Tooth Double End Ratchet Wrench, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17 & 19 mm gear rings and a durable storage case.

Quick-Release Button



12-Piece Set

\$99

PN: MP001204

1/4" & 3/8" 2 Way T-Handle Spinner Wrench Set

- Second square drive on handle
- 3 position adjustable spinner grip



\$149

PN: MP009015

Hex Drive Impact Socket Adapter Sets

- Meet or exceed DIN & ANSI standards.
- Made from Chrome Molybdenum Steel

Input: 1/4" Hex
Output: 1/4", 3/8" & 1/2" Sq



75 mm Adapter Set

\$25

PN: MP005020

150 mm Adapter Set

\$29

PN: MP005021

3/8" Drive Flex Head Ratchet Wrench & Socket Set

- 72 tooth ratcheting mechanism (5° swing)
- Standard & deep sockets included to access fasteners in a wider range of areas.
- Can be used as breaker bar by engaging ratchet lockout
- Lockable flex-head
- Quick Release socket button
- Meets ASME torque performance standards.
- Set supplied in foam tray.



Hardened CR-V

19-Piece Set

\$119

PN: MP001228

Set includes:
1 x 3/8" Drive Flex Head 72T Ratchet
Standard & deep sockets in
8, 10, 12, 13, 14, 15, 17, 19 & 21 mm sizes

Auto Adjusting Crowsfoot Wrenches & Adapters

This self adjusting, spring-loaded design repositions itself on the fastener or pipe as it's being used. This makes it ideal for extraction of damaged bolts, screws or even pipe work.



Auto Adjusting Crowsfoot Wrench

- Constructed from high grade Chrome Vanadium (CR-V) steel

Range: 8 to 32 mm



\$69

PN: MP001206

Set of 3 Auto Adjusting Crowfoot Wrench Adapters

- Multiple square drive attachment point make ideal for confined spaces.

Suitable for applications between 5-32 mm



\$99

PN: MP001205

3 Piece Aluminium Socket Rails

Capacity: 16 x 1/4" clips, 16 x 3/8" clips and 14 x 1/2" clips, 46 sockets total

Size: 395 x 26 mm



\$59


Sockets not included. PN: MP014001

Portable Socket Organizer

Size: 332 x 154 x 25 mm
80 socket organizer holds:
20 x 1/4" Dr per rail
20 x 3/8" Dr per rail
20 x 1/2" Dr per rail
10 x 3/8" Dr &
10 x 1/2" Dr per rail

\$72

PN: MP014006




Sockets not included.

Hex Key Wrench Sets

Metric Two-Way T-Handle Ball End Hex Key Set

Sizes: 2, 2.5, 3, 4, 5, 6, 8, 10 mm.



8-Piece Set
\$95
PN: MP001044

Imperial T-Handle Ball End Hex Key Set

Sizes: 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16" & 3/8".



8-Piece Set
\$95
PN: MP001045

Metric T-Handle Ball End Hex Key Set


Sizes: 2, 2.5, 3, 4, 5, 6, 8, 10 mm.



8-Piece Set
\$79
PN: MP001042

Folding Imperial & Metric Hex Key Set

Metric set includes 1.5, 2, 2.5, 3, 4, 5, 6, 8 mm
Imperial set includes 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 17 sizes in total.
Length: 200 mm



Hardened CR-V

Pack of 2
\$35
PN: MP001007

Metric & Imperial Short Arm Hex Key Set

Metric: 1.5, 2, 2.5, 3, 4, 5, 6, 7, 8 & 10 mm
Imperial: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16 & 3/8 inches



Hardened CR-V

20-Piece Set
\$39
PN: MP001046

Extension Breaker Bars

These time and space saving breaker bars featuring a square drive socket in the handle and a centre detented in knuckle. Enabling it to both function as a breaker bar and extension bar.



180° Knuckle with Centre Detent

Square Drive Socket End

Manufactured from extremely durable and corrosion-resistant mirrored chrome vanadium steel.

3/8" Drive x 300 mm Extension Breaker Bar

\$29
PN: MP007001

1/2" Drive x 450 mm Extension Breaker Bar

\$39
PN: MP007003

Set of 3 Extension Breaker Bars

Set includes:
1/4" drive 150 mm long breaker bar
3/8" drive 300 mm long breaker bar
1/2" drive 450 mm long breaker bar

\$110
PN: MP007004

Ratchet Wrenches

Quick Release Ratchet Set

- Chrome Vanadium steel
- Ratchets supplied in foam tray.
- Meets and exceeds ASME torque performance standards.

- 90 teeth ratcheting mechanism allows for ease of movement in today's tight and confined engine compartments.

Set includes:
1/4", 3/8", and 1/2" drive ratchets.
Ratcheting mechanism:
90 teeth (4° swing)



3-Piece Set
\$85
PN: MP006009




Extendable Flex-Head Ratchet Set

- Push-Button socket release
- 72 tooth ratcheting mechanism (5° swing)
- Extendable handles
- 180° Flex-Head for accessing tight corners or spaces

- Drop-forged and heat treated chrome vanadium (CR-V) for superior durability and lifespan
- Satin Chrome finish
- Ratchets supplied in foam tray

1/4" ratchet length: 140 to 185 mm
3/8" ratchet length: 185 to 245 mm
1/2" ratchet length: 225 to 310 mm
Ratcheting mechanism:
72 teeth (5° swing)
Ratchet head range;
180° (5° detents)



Extendable Handle

3-Piece Set
\$189
PN: MP001210



Rivet & Nutsert Tool

A 2-in-1 fastening tool that sets nutserts as well as blind rivets.



- Sets steel & aluminium rivets up to 4.8 mm & Nutserts up to M6
- Sets stainless rivets up to 4.0 mm & Nutserts up to M5
- Includes a range of M3 to M6 nutserts

INCLUDES NUTSERTS!



\$135

PN: GHTJ703A

Sets 2.4, 3.2, 4.0 & 4.8 mm Rivets AND M3, M4, M5 & M6 Nutserts

Heavy Duty Rivet & Nutsert Tool

- Sets steel & aluminium rivets up to 6.4 mm (1/4") AND nutserts up to M10
- Sets stainless steel rivets up to 4.8 mm (3/16") AND nutserts up to M8
- Space-Saving Foldable Handles
- Forged Main Arms



Sets 3.2 (1/8"), 4.0 (5/32"), 4.8 (3/16") & 6.4 mm (1/4") Rivets and M4, M5, M6, M8 & M10 Nutserts

\$255

PN: GHTH3

Riveting Tools

Medium Duty Riveting Tool

- Sets steel & aluminium rivets up to 4.8 mm (3/16")
- Sets Stainless Steel Rivets up to 4.0 mm (5/32")

Sets 2.4 (3/32"), 3.2 (1/8"), 4.0 (5/32") & 4.8 mm (3/16") rivets



\$58

PN: GHTJ701

Heavy Duty Riveting Tool

- Sets steel, aluminium & stainless rivets up to 4.8 mm (3/16")

Sets 2.4 (3/32"), 3.2 (1/8"), 4.0 (5/32") & 4.8 mm (3/16") rivets



\$115

PN: GHTTC20

Hex Key Sets

Metric 9 Piece Ball End Hex Key Set

Sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10 mm

Imperial (SAE) 13 Piece Ball End Hex Key Set

Sizes: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" & 3/8"

13 Piece Torx® Wrench Set

Sizes: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45 & T50

13 Piece Tamperproof Torx® Wrench Set

Sizes: T6H, T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H & T50H



\$41

PN: GXHK9M

\$50

PN: GXHK13

\$52

PN: GXTX13

\$52

PN: GXTP13

Pistol Grip Nutsert Tools

- Average cycle time of 3 seconds
- Quick & simple to operate
- Fwd. / Rev. Toggle Switch
- Not suitable for mass production

POWERED FORWARD + REVERSE

M6 Nutsert Tool

M3, M4, M5, M8 & M10 mandrels available (sold separately)
Weight: 1.3 kg

\$789

PN: GP400B

M8 Nutsert Tool

M10 & M12 mandrels available (sold separately)
Weight: 1.3 kg

\$799

PN: GP200B



Steel & Aluminium Nutserts

4 mm Max. sheet thickness



PACKS OF 50

M4 Aluminium PN: NM4RNA	\$35	M4 Steel PN: NM4PNS	\$21
M5 Aluminium PN: NM5RNA	\$44	M5 Steel PN: NM5PNS	\$26
M6 Aluminium PN: NM6RNA	\$47	M6 Steel PN: NM6PNS	\$29
M8 Aluminium PN: NM8RNA	\$52	M8 Steel PN: NM8PNS	\$35
M10 Aluminium PN: NM10RNA	\$62	M10 Steel PN: NM10PNS	\$41
		M12 Steel PN: NM12PNS	\$55

Automotive Nutsert Gun

- Sets M4, M5, M6, M8, M10 nutserts in steel & aluminium
- Sets Stainless Steel nutserts up to M8
- Optional M3 anvil set
- Not suitable mass production applications

Traction Power: 3,640 Ft/lbs
Stroke: 6 mm
Weight: 1.55 kg



HOT PRICE!

\$995

PN: KP4258

Gasket Punch Set

14 Piece set includes:
1/4", 5/16", 3/8", 7/16", 1/2", 5/8",
3/4", 7/8", 1", 1 1/8", 1-1/4",
1-3/8" & 1-1/2"



\$105
PN: GGGS

Hook & Pick Set

Includes Straight,
Right-Angle,
Curved &
Hooked Picks.



\$29
PN: GXHP4

Helping Hand Magnifier

- Features a sturdy cast iron base, two articulated alligator clamps and magnifying glass.



Main Beam: 115 mm
Arm Reach: 75 mm
Lens Dia.: 60 mm

\$33
PN: GHMM

Precision Screwdriver Set

65 piece set includes:
4 mm & 1/4" Driver Handles &
Extension Bars
Hex: 0.9, 1.3, 1.5, 2.0, 3, 4, 5 & 6 mm
Slotted: 1.0 & 1.5, 2.0, 2.5, 3, 4, 5, 6 & 7 mm
Poizidriv: #0 to #3
Phillips: 000 to 3
Square: 0 to 3 mm
Sockets: 5 to 13 mm
Torx®: T5, T6, T7, T8, T9, T10,
T15, T20, T25, T30 & T40



\$39
PN: GXBS1465
65 PIECE SET

Socket Sets

1/4" Socket Set

- Chrome Vanadium Steel

Set includes Ratchet Wrench,
Driver Handle, 50 mm Extension,
Tee Bar & Universal Joint.
Standard Socket sizes:
4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12,
13, & 14 mm
Hex Bits: 3, 4, 5 & 6 mm
Phillips Bits: #1, #2, & #3
Pozidriv Bits: #1, #2 & #3
Slotted Bits: 3, 4 & 6 mm
Torx® Bits: T8, T9, T10 T15, T20,
T25, T27, T30, & T40



40 PIECE SET

Magnetic Clean-Up Tools

Magnetic Clean-Up Wand

Capacity: 6.30 Kg
Length 400 mm
Weight 0.470 Kg



\$89
PN: MW001

Magnetic Reach Extender

Head size: 96 MM
Length: 960 MM
Capacity: 4.5 Kg



\$115
PN: MRE001

Magnetic Broom

- Side mounted wheels for easy use over wide areas
- Telescopic main shaft
- Easy release trigger on main shaft
- Wide section magnetic pickup

Handle Length:
720-1035 mm
Head width: 377mm

\$155
PN: MB001



HOT PRICE!

\$62
PN: GXSS1440

3/8" Socket Set

- Chrome Vanadium Steel

Set includes Ratchet Wrench,
75 & 150 mm Extension Bars and
Universal Joint.
Standard Socket sizes:
8, 9, 10, 11, 12, 13, 14, 15, 16, 17,
18, 19, 20, 21 & 22 mm
Deep Socket sizes:
10, 11, 12, 13, 14, 15, 17 & 19 mm
Spark Plug Socket: 16 & 21 mm



29 PIECE SET

HOT PRICE!

\$79
PN: GXSS3829

Gear & Bearing Splitting Combination Set

Small Bearing Separator

Jaw Range: 30-50 MM
Working Range: 0-135 MM

Large Bearing Separator

Jaw Range: 50-75 MM
Working Range: 0-180 MM

Includes Centre Adapter.

S45C Drop Forged hardened
Main Beam and
Bearing Separators.



\$229
PN: GBTK
HOT PRICE!

Multi-Hydraulic Gear Puller Kit

Bearing Separator

S45C Drop Forged hardened
Bearing Separator.

Working Range: 0-370 MM
Jaw Range: 75-105 MM

Gear Puller

Working Range: 25-185 MM

Set includes: Twin &
Triple Leg Heads
Hydraulic Ram (12 Ton capacity)
Carbon Steel Beam
200 MM, 150 MM, & 100 MM arms
85 MM, 35 MM, Spacers,
25 MM Centre Adapter



\$589
PN: GHPK

NICRON®

LED TORCHES & HEADLAMPS

nicronlight.com.au

TWIST Light

The head of a Twist Light can be swiveled anywhere from 0 to 90 degrees, offering extreme versatility.

Applicable to PN: B73R, B71pro, B75 & B70PLUS



Rechargeable Bicycle Lamp

Brightness: 500 Lm
Intensity: 160 Cd



Primary Beam:
LOW (100 Lm)
MED (300 Lm)
HIGH (500 Lm)

Size: 72 x 47 x 45 mm
Weight: 168 g

\$125

PN: BK10

- Handlebar mountable thumb controller
- Detachable Lamp Head
- Swivel Mount



TWIST Pen Light

HOT PRICE!

\$79

PN: B73R



- Includes USB rechargeable battery
- Illuminated Multi-function Switch with Battery State Indicator

Brightness: 150 Lm
Intensity: 650 Cd

Primary Beam:
LOW (60Lm)
HIGH (150Lm)

Size: 152 x 18 x 15 mm
Weight: 75g



Mini TWIST Light

\$99 ea



- Includes USB rechargeable battery
- Pen Clip

Brightness: 700 Lm
Intensity: 4000 Cd

Primary Beam:
LOW (100Lm)
MED (250Lm)
HIGH (700Lm)

STROBE: (700Lm)
Size: 112 x 21 x 18 mm
Weight: 85g



Twin-Beam Headlamp

- Anti-slip belt for mounting directly to helmets.
- Both lamps combined output 1600 Lm
- Headlamp vertical range of motion 120°
- Includes li-ion battery

Weight: 69g


Primary Beam: LOW (50Lm)
MED (250Lm)
HIGH (500Lm)
MAX (1000Lm)

Flood Light: LOW (50Lm)
MED (200Lm)
HIGH (400Lm)
MAX (800Lm)

\$135

PN: H35

Brightness: 1600 Lm
Intensity: 4000 Cd



Mini Rechargeable Headlamps featured on back cover!

PRO TWIST Light



- Illuminated Multi-function Switch with Battery State Indicator
- Pen Clip


Brightness: 950 Lm
Intensity: 10000 Cd

Primary Beam:
LOW (10Lm)
MED (70Lm)
HIGH (300Lm)
MAX (950Lm)
STROBE (950Lm)

Size: 160 x 28 mm
Weight: 220g

\$110

PN: B71pro



Beam Modes Mag Base Pen Clip



UV PRO TWIST Light



- Illuminated Multi-function Switch with Battery State Indicator
- Pen Clip


Brightness: 1000 Lm
Intensity: 3000 Cd

Primary Beam:
LOW (100Lm)
MED (500Lm)
HIGH (1000Lm)
UV Light:
HIGH (395nm)

Size: 160 x 28 mm
Weight: 220g

\$115

PN: B75



Beam Modes Mag Base Pen Clip



Camo TWIST Light



- Illuminated Multi-function Switch with Battery State Indicator
- Pen Clip


Brightness: 950 Lm
Intensity: 10000 Cd

Primary Beam:
LOW (10Lm)
MED (70Lm)
HIGH (300Lm)
MAX (950Lm)
STROBE (950Lm)

Size: 160 x 28 mm
Weight: 220g

\$115

PN: B70PLUS



Beam Modes Mag Base Pen Clip





Magnetic Base

Mount to any ferrous surface. Ideal for wheel wells and engine bays or other tight spaces.

Applicable to PN: B70PLUS, B71pro, B73R, B74BLUE, B74RED, B75, WL15, WL81-83-85



Integrated Battery Indicator

A dedicated built-in LED battery indicator. Applicable to PN: B400 & WL83



Multifunction Indicator Button

Illuminated multi-function switch with Battery State Indicator. Displays battery state with back-lit multi-colour LED button.

Applicable to PN: B200, B73R, B71pro, B75 & B70PLUS & WL81



Dual Fuel Capability

Able to accept high capacity rechargeable and standard A series batteries.

Applicable to PN: B73R, B74BLUE, B74RED & F51



Integrated Charging Port

Recharge without the need to remove the battery with an integrated charge port.

Applicable to PN: B10, B200, B400, B71PRO, B75, B70PLUS, F81, H11, H17, H35, WL15, WL81-83-85

Mini Flashlight

\$39

PN: B10

Ingress Rating

SPLASH

IP65

Battery

1 x

16340

Li-ion



Brightness: 200 Lm
Intensity: 2000 Cd

Primary Beam:
LOW (30Lm)
MED (100Lm)
HIGH (200Lm)
STROBE: (200Lm)
Size: 65x 20mm
Weight: 45g

- High Capacity Li-ion Rechargeable
- Key Ring

Mini Key Chain Flashlight

\$31

PN: N1

Battery

1 x

AAA

Ingress Rating

IPX7

1m



Brightness: 100 Lm
Intensity: 144 Cd

Ingress Rating: IPX7
Size: 62 x 16 mm
Weight: 15.5
Battery: 1 x AAA

Mini Focusable Flashlight

\$88

PN: F51

Ingress Rating

IPX4

Battery

14500

Li-ion

1 x AA



- Focusable Beam
- Includes USB rechargeable battery
- AA batteries NOT included
- Pen Clip

Brightness: 600 Lm
Intensity: 3800 Cd

Primary Beam:
LOW (100 Lm)
MED (250 Lm)
HIGH (600 Lm)
Size: 103 x 26 mm
Weight: 80g


Focusable Flashlight

\$115

PN: F81

Brightness: 1000 Lm
Intensity: 6500 Cd

Primary Beam:
LOW (50Lm)
MED (150Lm)
HIGH (500Lm)
MAX (1000Lm)
STROBE (1000Lm)
Size: 170 x 35mm
Weight: 200g



Long Range Tactical Flashlight

\$169

PN: B200



Brightness: 1,600 Lm
Intensity: 250,000 Cd

Primary Beam:
LOW (100Lm)
MED (750Lm)
HIGH (1600Lm)
STROBE: (1000Lm)
Size: 235 x 59 mm
Weight: 550g

Upgraded Model!

1000m RANGE!

Battery

2 x

18650

Li-ion

Ingress Rating

IPX8

Battery Indicator

10%

100%

Charge Port

USB TYPE C

Utility Flashlight

\$63

PN: WL15



Brightness: 500 Lm
Intensity: 800 Cd

Primary Beam:
LOW (80Lm)
HIGH (200Lm)
Flood Light:
LOW (100Lm)
MED (300Lm)
HIGH (500Lm)
Size: 164 x 22 mm
Weight: 140g

Battery

3 x

AA

Ingress Rating

IPX4

Mag Base

IPX4

Utility Flashlight

\$115

PN: WL81



Brightness: 1000 Lm
Intensity: 6000 Cd

Primary Beam:
LOW (80Lm)
MED (500Lm)
HIGH (1000Lm)
STROBE: (1000Lm)
Flood Light:
LOW (35Lm)
HIGH (250Lm)
Size: 121 x 27 mm
Weight: 110g

Battery

18650

Li-ion

Ingress Rating

IP67

1m

Charge Port

USB TYPE C

10%

100%

Battery Indicator

100%

100%

Mag Base

IPX5

Extreme Tactical Flashlight

\$479

PN: B400



- Flood & Spot functions
- Fast Charging Li-ion
- Beam proximity sensor
- USB-A power bank functionality

Brightness: 16,000 Lm
Intensity: 19,360 Cd

Primary Beam:
LOW (7Lm)
MED (170Lm)
HIGH (3,450Lm)
MAX (12,300Lm)
EXTREME (16,000Lm)
STROBE: (6,000Lm)
Size: 175 x 82 mm
Weight: 880g

Battery

3 x

21700

Li-ion

Ingress Rating

IPX8

Charge Port

USB TYPE C

Battery Indicator

10%

100%

Tripod Mount

1/4"-20 UNC

2 in 1 Utility Work Lamp

\$115

PN: WL83



- Top mounted hanger
- Top mounted spot light
- Front mounted flood light
- Handle incorporates foldout stand

Brightness: 500 / 200 Lm
Intensity: 225 Cd

Primary Beam:
LOW (200Lm)
HIGH (500Lm)
Spot Light:
LOW (200Lm)

Size: 200 x 60 x 30 mm
Weight: 285g

Battery

21700

Li-ion

Ingress Rating

IP20

Charge Port

USB TYPE C

Battery Indicator

10%

100%

Mag Base

IPX5

2 in 1 Utility Work Lamp

\$110

PN: WL85



- Foldout stand with integrated hook
- Primary Beam:
LOW (12 Lm)
MED (160 Lm)
HIGH (450 Lm)
Spot Light:
LOW (60 Lm)
HIGH (280 Lm)

Size: 123 x 55 x 32 mm
Weight: 180 g

Charge Port

USB TYPE C

Mag Base

IPX5

Battery Indicator

10%

100%

Ingress Rating

IPX5

1/2" Twin Hammer Impact Wrench



- Light weight composite housing
- 4 speed air regulator
- Exhausts through handle, away from the work area

Free Speed: 8,000 RPM
Max Torque: 685 Ft/lbs (928 Nm)
Weight: 1.98kg

\$349
PN: BIT260M1

6" Random Orbital Sander



Orbit Diameter: 5 mm
Spindle: 5/16"x24 UNF
Free Speed: 12,000 RPM
Weight: 0.99 Kg

\$289
PN: BOS156A2

6" Random Orbital Dust-Free Sander



Orbit Diameter: 5 mm
Free Speed: 12,000 RPM
Spindle: 5/16 x 24 UNF
Weight: 0.99 kg

\$299
PN: BOS156SA2

1/4" Die Grinder

Free Speed: 20,000 RPM
Length: 165 mm
Weight : 0.55Kg



\$189
PN: BG210R

1/4" 115° Angle Die Grinder

Free Speed: 18,000 RPM
Output: 0.45 hp
Weight : 0.75 Kg



\$229
PN: BG230RA1

1/4" Right Angle Die Grinder

- Light weight composite housing

Free Speed: 18,000 RPM
Length: 183 mm
Weight: 0.8 Kg



\$199
PN: BG220RA1

Extended 1/4" Die Grinder

Free Speed: 21,000 RPM
Length: 280 mm
Weight: 0.80 kg



\$199
PN: BG215RA1

2" Angle Grinder

Free Speed: 15,000 RPM
Output : 0.45 hp
Weight: 0.8 Kg



\$199
PN: BG222RA1

2" Grinder Disc
Thickness: 4 mm
Max Speed: 23,500 RPM



\$13
PN: 3510232

8" Geared Sanders

Orbit Diameter: 5 mm
Pad mount: 5 hole
Free Speed: 900 RPM
Weight: 1.88 kg



Standard
\$579
PN: BOS258GR-D1

Dust Free
\$589
PN: BOS258GRC-D1

1/2" Reversible Keyless Drill



Free speed: 800 RPM
Weight: 1.95 Kg

\$249
PN: BDR208KLA1

HOT PRICE!
Only While Stocks Last!

Heavy Duty Air Hammer Kit

- Integrated piston cushion for lower vibration and less operator fatigue
- T handle design for better tool balance

- Includes Air Hammer, 5 chisels & Quick Change Spring Retainer in blow-mount case

Impact Rate: 2,900 bpm
Chisel shank: 10.2 mm
Weight: 1.73 Kg

\$279
PN: BHA67A1



3" Cut Off Tool



Free Speed: 21,000 RPM
Length: 188 mm
Weight: 0.8 Kg

Cutting Disc not included.

\$129
PN: BCTA1

3" Cutting Discs

Ø75 x 0.8 x Ø9.53 mm
Speed Rated to 25,000 RPM



Pack of 5
\$27
PN: CO007K

80 Series Stapler

Staple Crown: 12.8 mm
(80 Series)
Staple Length: 6-16 mm
Capacity: 100 Staples
Weight: 0.90 Kg



\$199

PN: BN8016E

Countersink & Nail Remover

Pin Dia.: 4.8 mm
Nail Dia.: 2-4 mm
Weight: 0.80 Kg



\$349

PN: BPULLER

**GREAT FOR
TIMBER FRAME
DEMOLITION!**

**REMOVE
ASBESTOS SHEETS
IN ONE PIECE!**

C1 Series Bradder

Shank: 1x1.25 mm
(18 Gauge)
Nail Length: 10-32 mm
Capacity: 100 brads
Weight: 0.68 Kg



\$199

PN: B1832PA2

Medium Duty C Brad Nailer

Shank: 1.4x1.6 mm
(16 Gauge)
Nail Length: 19-50 mm
Capacity: 100 brads
Weight: 1.54 Kg



**HOT
PRICE!**

\$289

PN: B1650LA1

97 Series Stapler

Staple Crown: 4.5 mm
(97 Series)
Staple Length: 10-25 mm
Capacity: 142 staples
Weight: 1.2Kg



**HOT
PRICE!**

**Only While
Stocks Last!**

\$249

PN: BS9725B1

50 MM C1 Series Bradder

Shank: 1x1.25 mm
(18 Gauge)
Nail Length: 15-50 mm
Capacity: 100 brads
Weight: 1.25 Kg



\$259

PN: B1850A1

T-Nailers

Nail Length: 18-64 mm
Capacity: 80 nails
Weight: 2.55 kg



**HOT
PRICE!**

**Only While
Stocks Last!**

2.2 mm Nail Shank
PN: BT2264A1

2.5 mm Nail Shank
PN: BT2564A1

\$389 ea

Heavy Duty C Brad Nailer

Shank: 1.4x1.6 mm
(16 Gauge)
Nail Length: 19-50 mm
Capacity: 100 nails
Weight: 1.9 Kg



\$399

PN: B1650B1

Heavy Duty Coil Nailer

Shank: 2.03-2.8 mm
Nail Length: 32-65 mm
Capacity: 200-400 nails
Weight: 2.3 kg

0° Angle PN: BC2865F1

15° Angle PN: BC2865D1

\$489 ea



**HOT
PRICE!**

**Only While
Stocks Last!**

34° DA Nailer

- Swivel exhaust
- Depth adjustment
- Angled air inlet

Shank:
1.8 mm (15 Gauge)
Nail Length:
25-64 mm
Capacity:
100 Nails
Weight: 1.95kg



**HOT
PRICE!**

**Only While
Stocks Last!**

\$369

PN: BA3464A1

Compact Needle Scaler



Impact Rate: 3,700 BPM
Overall Length: 290 MM
12 Needles Ø3 x 125 MM

\$289

PN: KP4714

Heavy Duty Chipping Hammer

- Moil Point & Flat Chisels available
- Side Exhaust

Includes 2 Chisels



Stroke: 102 MM
Impact Rate: 1500 BPM
Length: 350 MM
Weight: 9 Kg

\$945

PN: KP4735S3H

Two Speed Pistol Grip Sander

- Includes 50 MM & 75 MM Quick-Lock Backing Pads
- Side mounted speed regulator



Free Speed: 15,000 RPM
Weight: 0.45 Kg

\$199

PN: KP6712

1/2" Impact Wrench

Max Torque 1,000 Ft/lbs



Free Speed: 9,500 RPM
Max Torque: 1,000 Ft/lbs
Weight 2.30 Kg

\$379

PN: KP1488

3/4" Impact Wrench

Free Speed: 6,500 RPM
Max Torque: 750 Ft/lbs
Weight: 4.55 Kg

\$669

PN: KP1023



3/4" Impact Wrench with 6" Extension

Free Speed: 6,500 RPM
Max Torque: 750 Ft/lbs
Weight: 4.9 Kg

\$699

PN: KP1023-6

Pistol Grip Needle Scaler



Impact Rate: 3,700 BPM
Overall Length: 350 MM
19 Needles Ø3 x 180 MM

\$439

PN: KP4722P

Pittsburgh Air Hammer

- 360° Adjustable Anvil Guide



Impact Rate: 4,200 RPM
Stroke: 50 MM
Weight: 2.20 Kg

\$299

PN: KP4711PH

3" Orbital Pistol Grip Sander

- Side mounted speed regulator



Free Speed: 15,000 RPM
Weight: 0.58 Kg

\$265

PN: KP6628

1" Super Duty Impact Wrench



Free Speed: 5,000 RPM
Max. Torque: 1,800 Ft/lbs
Weight: 7.10 Kg

\$1,399

PN: KP1838A-P

Through Ratchet Wrench

- Included socket sizes: 8, 10, 12, 13, & 14 MM
5/16, 3/8, 7/16, 1/2 and 9/16" 1/4" & 3/8" anvils

Includes 10 Sockets



HOT PRICE!

Free Speed: 450 RPM
Max. Torque: 30 Ft/lbs
Weight: 0.60 Kg

\$289

PN: KP2219

Heavy Duty Air Caulking Gun



Takes 50 MM diameter sausages
400, 500 & 600 ml sizes.
Air pressure: 45-90 PSI
Length: 550 MM
Weight: 0.9 Kg

\$325

PN: KP4613

Dual Chuck Tyre Inflator

Units: PSI, kg/cm2, KPA & Bar
Air Flow: 1.28 CFM @ 100 PSI
Range: 0-220 PSI
Hose Length: 750 MM
Weight: 1.2 Kg

Ideal for Truck Tyres

HOT PRICE!



\$149

PN: KP79G07

1" Super Duty Impact Wrenches

Free Speed: 5,500 RPM
Max. Torque: 1,600 Ft/lbs
Air Inlet: 1/2"

Length: 325 MM
Weight: 5.8 Kg



\$1,299

PN: KP1835

1" HD Impact Wrench

- Rubber body protection
- 4 power settings with forward & reverse selector
- Side handle

Free Speed: 3,500 RPM
Max. Torque: 2,500 Ft/lbs
Length: 436 MM
Air Inlet: 1/2"
Weight: 15.55 Kg



2,500 Ft/lbs

\$2,599

PN: KP1045

1.5" Variant
PN: KP1050 \$2999

SG420 Gravity Feed Air Brush



\$129
PN: SG420A

Nozzle: 0.2 MM
Working Pressure: 14-50 PSI
Fluid Capacity: 7 cc
Weight: 280 g

KH818 Gravity Feed Spray Guns



\$285 ea

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing

Working Pressure: 30-45 PSI
Fluid Capacity: 600 cc
Weight: 280 g

1.3 MM Nozzle PN: K818M13
1.4 MM Nozzle PN: K818M14
1.8 MM Nozzle PN: K818M18
2.5 MM Nozzle PN: K818M25

KH818 HVLP Gravity Feed Spray Guns



\$299 ea

- Forged aluminum body and Stainless steel nozzle & needle
- HVLP nozzle delivers exceptional fluid atomization.
- Teflon seals & packing.
- Includes mini air regulator

Working Pressure: 20~28 PSI
Fluid Capacity: 600 cc
Weight: 514 g

1.3 MM Nozzle PN: KH818M13
1.4 MM Nozzle PN: KH818M14
1.8 MM Nozzle PN: KH818M18

K818 Suction Feed Spray Guns



\$289 ea

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing

Working Pressure: 30-45 PSI
Fluid Capacity: 1000 cc
Weight: 514 g

1.3 MM Nozzle PN: K818S13
1.8 MM Nozzle PN: K818S18
2.0 MM Nozzle PN: K818S20
2.5 MM Nozzle PN: K818S25

KH818 HVLP Suction Feed Spray Guns



\$325
PN: KH818S18

- Forged aluminum body & Stainless steel nozzle & needle
- HVLP nozzle delivers exceptional fluid atomization.
- Teflon seals & packing.
- Includes mini air regulator

Working Pressure: 20-28 PSI
Fluid Capacity: 1000 cc
Weight: 514 g
Nozzle: 1.8 MM S-Steel

K357 Mini Gravity Feed Spray Guns



Working Pressure: 30-45 PSI
Fluid Capacity: 125 cc
Weight: 280 g

0.8 MM Nozzle

1.2 MM Nozzle

\$215
PN: K357M08

\$245
PN: K357M12

K818 Pressure Feed Spray Gun Systems



2 Litre Pressure Feed Spray Gun Systems

- Features:
- 3 meter hose
 - Tank Pressure Regulator
 - Air release valve
 - Safety release valve
 - Tank handle/hanger

2 Litre Pressure Feed Tank
Tank dimensions:
130L MM x 130W MM x 445H MM
Capacity: 2 Litre
Max. pressure: 60 PSI
Weight total: 2.15 kg

1.2 MM Nozzle PN: PW2LTRK12
1.5 MM Nozzle PN: PW2LTRK15
1.8 MM Nozzle PN: PW2LTRK18
2.0 MM Nozzle PN: PW2LTRK20
2.5 MM Nozzle PN: PW2LTRK25

\$499 ea

10 Litre Pressure Feed Spray Gun Systems

- Features:
- 3 meter hose
 - Tank Pressure Regulator
 - Air release valve
 - Safety release valve
 - Tank handle/hanger

10 Litre Pressure Feed Tank
Tank dimensions:
315L MM x 315W MM x 485H MM
Capacity: 10 Litre
Max. pressure: 60 PSI
Weight total: 10.1 kg

1.2 MM Nozzle PN: PW10LTRK12
1.5 MM Nozzle PN: PW10LTRK15
1.8 MM Nozzle PN: PW10LTRK18
2.0 MM Nozzle PN: PW10LTRK20
2.5 MM Nozzle PN: PW10LTRK25

\$689 ea

20 Litre Pressure Feed Spray Tank Systems

- Features:
- 10 meter hose
 - Stainless Steel Liner
 - Tank Pressure Regulator
 - Air release valve
 - Safety release valve
 - Manual Agitation

K818 Pressure Feed 20 Litre Pressure Feed Tank
Tank dimensions:
400L MM x 400W MM x 780H MM
Capacity: 20 Litre
Max. pressure: 60 PSI
Weight total: 26 kg

1.2 MM Nozzle PN: PW20LTRK12
1.5 MM Nozzle PN: PW20LTRK15
1.8 MM Nozzle PN: PW20LTRK18
2.0 MM Nozzle PN: PW20LTRK20
2.5 MM Nozzle PN: PW20LTRK25

\$1,199 ea

Tyre Inflators

Dual Tyre Chuck

Inlet: JIS standard fitting
Output: Schrader Valve



\$20
PN: GPA051

Flexible Tyre Chuck

Inlet: JIS standard fitting
Output: Schrader Valve



\$23
PN: GPATC-2

0-60psi Tyre Pressure Gauge

Range: 0-60 PSI.
Metering: Analogue
Units: PSI & Bar
Output: Schrader valve



\$42
PN: GPATPG60

Dual Access Tyre Chuck

Inlet: 1/4" Female
Output: Schrader Valve x 2
Length: 220 mm



\$36
PN: GPA1570

Dual Access Tyre Water Chuck

Inlet: 15 mm male garden hose fitting
Output: Schrader Valve x 2
Length: 220 mm



\$39
PN: GPA1570W

Pistol Grip Tyre Inflator

- Large easy to read gauge
- Integrated purge valve
- Tyre chuck with locking lever



\$90
PN: GPA016

Range: 0-220 PSI
Metering: Analog
Units: PSI, Bar, KPA

Digital Tyre Inflator

Measuring range: 5-60 PSI
Hose Length: 30 cm
Units: PSI, Bar, kPa



\$159
PN: GP1558-4

Deluxe Tyre Inflator

Range: 0-160 PSI
Units: PSI, KPA



\$149
PN: GPA6200

Blowguns

Long Nose Air Duster

- Cast aluminium body, metal trigger & nozzle.

Inlet: 1/4" Nitto fitting
Nozzle size: 4.5 x 70 mm



ALL METAL BODY!

\$28
PN: GPA9025

3/8" High Flow Blow Gun Kit

Kit includes:
High Flow Duster, Easily Adjustable High Flow Nozzle, Heavy Duty High Flow Nozzle & Standard Nozzle.



ALL METAL BODY!

\$69
PN: GHF60AS

Integrated Blow Gun

- Light weight Polymer body with 1/4" steel inlet & 2 metre fitted hose



\$66
PN: GPB90K

Pocket Blow Gun

- Integrated metal inlet thread
 - Rubber Tip
- Length: 115 MM
Inlet: JIS Fitting
Material: Aluminium



HOT PRICE! Only While Stocks Last!

\$10
PN: PBG-N

4" Rubber Tipped Blowgun

- Integrated metal inlet thread
 - Rubber Tip
- Length: 110 mm
Material: POM/Steel




\$20
PN: GP1562

Extendable Blow Gun

Length: 270 to 390 mm
Material: POM/Steel



- Metal inlet for increased durability
- Adjustable length & angle
- Locking ring



\$36
PN: GP1562E

1 Metre Blow Gun

Overall Length: 1050 mm
Inlet: 1/4" metal
Material: POM / Aluminum

- Durable all metal construction
- Foam grip



ALL METAL BODY!

\$79
PN: GP1561

Filter Cleaning Nozzle

Suitable for cleaning cylindrical filters or pipes.
SOLD SEPARATELY
Size: 15.5 dia. x 40 mm
Nozzles: 12 x 2mm



\$25
PN: GP1561FN

Wonder Gun Kit

- Quickly change between vacuum & blow with an integrated switch
- Heavy duty metal body

Kit includes: Blow Gun, Vacuum Hose, brush, extended small & flat nozzles, Extendable Hose (30 to 80cm) & Dust Bag



\$125
PN: GPA0310KB

Punch & Flange Tool

Capacity: 1.2 mm Mild Steel
Flange Capacity: 14 mm
Hole Punch Diameter: 5 mm
Weight : 1.1kg

\$265
PN: GP9201



3" In-Line Cut Off Grinder

- Includes 3" cut off disc.
- Adjustable guard
- Spindle lock
- Rubber grip
- Rear exhaust

\$229
PN: GP3203

Disc Size: 3" (75 mm)
Free Speed: 18,000 RPM
Weight: 0.8 Kg



3" Cut Off Grinder

\$135
PN: GP3201



Disc Size: 3" (75 mm)
Free Speed: 22,000 RPM
Weight: 0.8 Kg

Engine Cleaner Gun

- Siphon type, designed to connect to an external degreaser supply
- Flow rate control with adjustable nozzle
- 1.2m hose with built in filter

Length: 405 mm



\$59
PN: GPA1565

Engine Cleaner with Bowl

- Ideal for cleaning cars, trucks, bikes and marine

Bowl capacity: 700 cc
Length: 410 mm



\$110
PN: GPA034

Percussive Engraving Stylus

- Medium point stylus included
- Fine & wide point stylus also available

Inlet: 1/4" Male thread
Hose Length: 1.43 m
Weight: 0.40 kg

\$315
PN: GP110



Hammering Tools

Air Hammer Kit

Kit includes 5 Chisels, Spring Retainer, Oiler & Case.
Free Speed: 3,000 BPM
Stroke Length: 19.05 mm
Shank Size: 10.2 mm
Weight: 1.70 Kg

\$135
PN: GP102KD



Heavy Duty Air Hammer

- Includes 5 chisels & spring retainer

Impact Rate: 2,200 BPM
Shank Size : 10.2 mm (round)
Stroke Length : 92 mm
Weight : 2.05 Kg

\$179
PN: GP112K



1/8" Micro Die Grinder Kit

Free Speed: 55,000 RPM

**INCLUDES
10 GRINDING
STONES**

\$245
PN: GP2204K



Set of 2 Spring Retainers

- Suits 10.2 mm round chisels



\$19
PN: GPA70X2

Heavy Duty Quick Change Spring Retainer

- Fits most standard air hammers & chisels



\$52
PN: GPA2311

38 MM Flattening Hammer



\$58
PN: HAC-100

Needle Scaler Attachment

- Mounts to most standard air hammers
- Replacement needles available



Needle Array: 19 Needles
Needle size: 3 x 180 mm

\$110
PN: GP60012

7" Chisel Set

- 5 piece set includes 20 mm Cold Chisel, Single Blade Cutter, Tapered Punch, Panel Cutter & Rivet Cutter

Shank Dia.: 10.2 mm



\$52
PN: GPA57

Needle Scaler

Needle Scaler

- Two part construction for fast dismantling and replacement of worn needles
- Nineteen 3 x 180 mm needles

Stroke Length : 33 mm
Impact Rate: 4,600 BPM
Length: 420 mm
Weight: 2.8 Kg



\$389
PN: GP201

Needle Scaler Kit

- Includes Moil Point, 20 mm Flat, 35 mm Bents & Needle Scaler Attachment in plastic carry case

Impact Rate : 4600 BPM
Overall length : 460 mm
Piston Stroke : 38 mm
Weight : 2.1 Kg



\$485
PN: GP268K

Air-Hydraulic Riveters

3/16" Automotive Rivet Gun



HOT PRICE!
Only While Stocks Last!

Rivet Capacity: 3/32, 1/8, 5/32, 3/16"
Traction Power: 1950 lbs
Weight: 1.5 kg

\$259
PN: GP1121D

3/16" Industrial Rivet Gun



Rivet Capacity:
1/8, 5/32 & 3/16"
Traction Power: 1980 lbs
Weight: 1.45 kg

\$399
PN: GP6302

9/32" Industrial Rivet Gun



SUITABLE FOR STAINLESS RIVETS!

- Interchangeable nose-pieces
- Safety cap collects spent rivets
- Swivel inlet for easier positioning

Rivet Capacity: 3/16", 1/4", 5/32" & 9/32"
Traction Power: 3,120 lbs
Weight: 3.4 kg

\$789
PN: GP6304

Die Grinders

1/4" Medium Die Grinder

Free Speed: 22,000 RPM
Weight: 0.675 kg

\$95
PN: GP2202



1/4" Medium Die Grinder

- Polymer sleeved for comfort
- Free Speed: 21,000 RPM
Weight: 0.833 kg

\$125
PN: GP2202R



1/4" Medium Die Grinder Kit

- Kit includes 1/8" & 1/4" collets and a range of 10 grinding stones

Free Speed:
22,000 RPM

\$125
PN: GP2202K



1/4" Angle Die Grinder

Free Speed: 18,000 RPM
Weight: 0.833 kg

\$199
PN: GP2203R



Reversible Drills

Reversible 3/8" Drill

Free Speed: 1,800 RPM
Chuck Size: 10 mm
Weight: 1.36 kg

\$189
PN: GP41013



Reversible 3/8" Keyless Drill

Free Speed: 1,800 RPM
Chuck Size: 10 mm
Weight: 1.36 kg

\$210
PN: GP41013K



1/2" Reversible Drill

Free Speed: 800 RPM
Drilling Capacity: 13 mm
Weight: 1.76kg

\$265
PN: GP4204



3/8" Reversible Angle Drill

- Forward / Reverse Toggle Switch
- Rear exhaust

Free Speed: 1500 RPM
Capacity: 10 mm
Weight: 1.02kg

\$299
PN: GP4209



Impact Wrenches

1/2" Impact Wrench

Max Torque: 500 Ft/lbs
Weight: 2.0 kg

\$315
PN: GP260T



3/4" Impact Wrench

Max Torque: 1100 Ft/lbs
Weight: 3.48 Kg

\$699
PN: GP3125



Heavy Duty Ratchet Wrenches

- Front exhaust

Max Torque: 75 ft/lbs
Free Speed: 200 RPM
Weight: 1.2 kg

3/8" Drive PN: GP5203

1/2" Drive PN: GP5204

\$199 ea



1/2" Drive Impact Socket Sets

\$99 ea



HOT PRICES!

Full range on page 41.

6" Dual Action Sander

Pad Size: 150 mm Velcro
Free Speed: 9,000 RPM
Orbit Dia.: 7 mm
Weight: 2.0 Kg



\$189
PN: GP1205N

Economical Random Orbit Sanders

6" / 150 MM Random Orbit Sander

Free Speed: 12,000 RPM
Orbit Dia.: 5 mm
Weight: 830 g



\$110
PN: GP6151-6

6" / 150 MM Random Orbit Dust Free Sander

Free Speed: 12,000 RPM
Orbit Dia.: 5 mm
Weight: 930 g



\$125
PN: GP6151-6-S

Replacement pads on page 44.

Surface Preparation

10 MM Belt Sander

Belt Size: 10 x 330 MM

\$285
PN: GP1264A



20 MM Belt Sander

Belt Size: 20 x 520 MM

\$439
PN: GP1265A

Air Rust & Paint Removal Tool Kit (Non-vacuum)

Versatile support handle can be set to any position within it's 180° range.

Kit includes:
five 105 mm (4 inch) stripping wheels, Spare disc hub & carry case.



\$735
PN: GP2001A

Stripping Wheels

- 1 0.5 mm Straight Wire PN: GPA2001A-1
- 2 0.55 mm Hooked Wire PN: GPA2001A-2
- 3 Abrasive Striping PN: GPA2001A-5
- 4 Caramel Stripping PN: GPA2001A-4
- 5 0.7mm Hooked Wire PN: GPA2001A-3

\$44 ea

5" Disc Sander

Includes 3", 4-1/2" & 5" fibre pads, for 22 mm hole abrasives, thread adapter for 50 mm pad & 50 mm abrasive pads
Spindle Size: 3/8 x 24 UNF
Free Speed: 16,000 RPM
Weight: 1.2 Kg

\$169
PN: GP1204R



7" Sander



\$355
PN: GP1206A

Free Speed: 4,500 RPM Avg Air Cons.: 12 CFM
Spindle: Male 5/8-11UNC Weight: 2.6 Kg

Straight Line Sander

- Takes 70 x 445 mm clip on paper.
- Ideal for flat panel automotive work.

Pad Size: 397 x 68 MM
Free Speed: 2,500 RPM
Weight: 2.5 Kg

\$255
PN: GP1203



Sandblasters

All-In-One Sandblaster

- Light weight all in one design
- Ideal for spot and rust removal on small areas

Nozzle Size: 5.2 MM
Capacity: 266cc

Sand Blasting Kit

Includes 3 extra nozzles, hose and tube.
Siphon feed
Weight: 0.9 Kg



\$73
PN: GPASB100

\$69
PN: GP909

7" Polisher



Free Speed: 2,500 RPM
Spindle: Male 5/8-11UNC
Avg Air Cons.: 12 CFM
Weight: 2.6 Kg

\$355
PN: GP1206P

Heavy Duty Angle Grinders

4" Heavy Duty Angle Grinder

Spindle: M10 x 1.5
Free Speed: 11,000 RPM
Weight: 1.95 Kg

\$355
PN: GP8102

5" Heavy Duty Angle Grinder

Spindle: M14 x 2.0
Free Speed: 11,000 RPM
Weight: 1.95 Kg

\$395
PN: GP31003



Air Body Saw

Free Speed: 10,000 opm
Capacity: 3 mm mild steel
Stroke length 9.5 mm



\$265
PN: GP9301

Quality Bi-metal Blades

- 18 TPI Pack of 5 PN: PT301A18
- 24 TPI Pack of 5 PN: PT301A24
- 32 TPI Pack of 5 PN: PT301A32

\$30 ea



Hagga 375
Commercial Sweeper

Performance: 2,900 m²/h
Cleaning Width: 750 mm
Capacity: 50 Liters
Weight: 11.1 kg

\$1175
PN: HG375



NEW MODEL!
3 BRUSH SYSTEM

Hagga 477
Commercial Sweeper

- Stores vertically in most closets (1550H x 780W x 300 MM)

Performance: 3,000 m²/h
Cleaning Width: 770 mm
Capacity: 50 Liters
Weight: 15 Kg

FITS IN MOST CLOSETS

\$1,555
PN: HG477



3 BRUSH SYSTEM

Hagga 497
Commercial Sweeper

Performance: 3,600 m²/hr
Cleaning Width: 970 mm
Capacity 50 litres.
Weight: 15.7 kg

\$1,915
PN: HG497



3 BRUSH SYSTEM

Porta



90° Keyless Drill Attachment

Chuck Capacity: 1.5-10 mm
Max. speed: 2,100 RPM
Size: 147 x 100 mm
Drive: 9 mm Hex
Weight: 490 g



\$195
PN: PORRADACL

13 MM Keyless Drill Chucks

Capacity: 1.5-13 mm
Mount: 1/2" x 20

\$139

PN: PORTS13F12R



13 MM Keyed Drill Chucks

Capacity: 1.5-13 mm
Body Dia.: 43 mm
Mount: JT6
Chuck Key: KS2

\$89

PN: PORA13J6

16 MM Keyed Drill Chucks

Capacity: 1-16 mm
Outer diameter: 56 mm
Mount: JT6
Key Type: T7

\$129

PN: PORAP16J6

20 MM Keyed Drill Chucks

Capacity: 5-20 mm
Outer diameter: 64 mm
Key Type: PORKS4B

\$189

PN: PORAP20J6

Keyless Drill Chucks

- Suitable for lathes, drilling & milling machines

Capacity: 1-13 mm
Mount: JT6

\$155

PN: POR37J6

Capacity: 3-16 mm
Mount: JT6

\$175

PN: POR40J6



Ejecting Drift

- Hardened and Black Oxide finish.



MT1/MT2 PN: PORDR12 **\$22**
MT2/MT3 PN: PORDR23 **\$22**
MT3/MT4 PN: PORDR34 **\$25**
MT4/MT5 PN: PORDR45 **\$34**

FORCE PNEUMATIC

3/16" Medium Duty Riveter

- Suitable for Aluminium & Mild Steel rivets

Capacity: 2.4 mm (3/32") to 4.8 mm (3/16")
Traction power: 1045 Kg
Stroke: 16 mm
Weight: 1.56 Kg



Includes an Assortment of Aluminium Rivets & Spares

\$265

PN: FP4821AK

3/16" Compact Riveter with Vacuum Extraction

- Suitable for Aluminium & Mild Steel rivets
- Vacuum Mandrel collection
- Low Recoil Technology

Capacity: 2.4 mm (3/32") to 4.8 mm (3/16")
Traction power: 908 Kg
Stroke: 15 mm
Weight: 1.39 Kg



Ideal for the Aluminium Window Industry

\$859

PN: FP4032CVK

3/16" Heavy Duty Composite Riveter

- Suitable rivets of all materials
- Low Recoil Technology

Capacity: 2.4 mm (3/32") to 4.8 mm (3/16")
Traction power: 908 Kg
Stroke: 23.5 mm
Weight: 1.55 Kg

\$699

PN: FP4831C

1/4" Riveter with Vacuum Extraction

- Automatic mandrel collection
- Sets steel and stainless ONLY
- Swivel air inlet

Capacity: 4.8mm (3/16"), 5.6mm (7/32") & 6.4mm (1/4")
Traction power: 1645 Kg
Stroke: 15 mm
Weight: 1.8 Kg

\$739

PN: FP6431CVK

5/16" Heavy Duty Composite Riveter

- Vacuum mandrel collection
- Suitable rivets of all materials
- Swivel air inlet

Capacity: 3/16", 7/32", 1/4" & 5/16"
Traction power: 1723 Kg
Stroke: 22.5 mm
Weight: 1.8 Kg



Also Sets 1/4" Monobolt® Structural Rivets FP51631CVK ONLY

\$1,275

PN: FP51631CVK

Premium Compressor Oil

- Specially formulated additives give superior protection against wear and corrosion
- Excellent water & air separation, to ensure reliable operation with minimal foaming and emulsification



\$33

PN: COMPOIL1

1/4" Mini Filter Regulator

Max Press.: 280 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 38.85 CFM
Drain Capacity: 15 mL
Filter Element: 5 μm



\$86

PN: THBFR212

1/4" Mini Filter Regulator & Lubricator

Max Press.: 150 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 38.85 CFM
Drain Capacity: 15 mL
Oil Capacity: 30 mL
Filter Element: 5 μm



SUPER COMPACT!
140W x 135H mm

\$88

PN: THBC202

Filter Regulators

Max Press.: 215 PSI
Output Press.: 7-150 PSI
Units: PSI, kg/cm²
Drain Capacity: 80 mL
Filter Element: 5 μm

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBFR802

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBFR803

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBFR804



\$73 ea

3/4" Hi-Flow Filter Regulator

Max Press.: 250 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 162.45 CFM
Drain Capacity: 300 mL

PN: THBFR926A

1" Hi-Flow Filter Regulator

Max Press.: 250 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 183.64 CFM
Drain Capacity: 300 mL

PN: THBFR928A

\$309 ea



AUTO-DRAIN FUNCTION

Filter Regulator + Lubricators

Max Press.: 215 PSI
Output Press.: 7-150 PSI
Units: PSI, kg/cm²
Oil Capacity: 125 mL
Filter Element: 5 μm

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBFLR802

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBFLR803

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBFLR804



\$135 ea

Regulators



1/4" Regulator

Max Press.: 150 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 38.85 CFM

\$52

PN: THBR202

1/2" Regulator

Max Press.: 215 PSI
Output Press.: 7-150 PSI
Units: PSI, kg/cm²
Max Flow: 105.94 CFM

\$62

PN: THBR804

3/4" Regulator

Max Press.: 250 PSI
Output Press.: 7-225 PSI
Units: PSI, kg/cm²
Max Flow: 162.45 CFM

\$169

PN: THBR906

1" Regulator

Max Press.: 250 PSI
Output Press.: 7-225 PSI
Units: PSI, kg/cm²
Max Flow: 183.64 CFM

\$169

PN: THBR908

Filters

1/2" Filter

Port Size: 1/2" NPT
Max Press.: 215 PSI
Max Flow: 105.94 CFM



\$69

PN: THBF804

1/2" Auto Drain Filter

Port Size: 1/2" NPT
Max Press.: 225 PSI



\$98

PN: THBD704A

Lubricators

Max Press.: 215 PSI
Oil Capacity: 125 mL

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBL802

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBL803

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBL804

\$75 ea



Filter / Regulator / Dryers

- Includes desiccant

Max Press.: 250 PSI
Output Press.: 7-150 PSI
Units: PSI, kg/cm²
Filter Element: 5μ-0.01μ

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBFR-FLM862

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBFR-FLM863

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBFR-FLM864

\$259 ea



IDEAL FOR SPRAY PAINTING!

Replacement dryer desiccant pack of 2 PN: THBDES \$20

20m Manual Hose Reel

- High quality Polyurethane braided hose
- Space Saving Foldable Handle
- 360 degree swivel base
- Hose ID: 8 mm
- Hose OD: 12 mm

\$299

PN: GPHR1220



Swivel Connectors

Male thread to Japanese Style Plug
Range: 22°

1/4" Thread PN: B05

3/8" Thread PN: B07

\$20 ea



In-line Regulators

1/4" Air Flow Regulator

\$22
PN: GPA1010



1/4" Air Flow Regulator with Male plug

\$22
PN: GPA1011



Air Line Quick Coupler Manifolds

2 Way Cluster Quick Coupler



\$36

PN: GPA1513

3 Way Cluster Quick Coupler



\$44

PN: GPA1514

2 Way In-line Quick Coupler



\$36

PN: GPA1515

3 Way In-line Quick Coupler



\$44

PN: GPA1516

4 Way In-line Quick Coupler



\$49

PN: GPA1517

20m Wall Mount Hose Reel

- 180° swivel bracket
- 1.5 metre inlet hose
- High quality braided polyurethane hose
- Sheet metal housing
- Adjustable recoil stopper
- Shrouded air line socket
- Hose ID: 6.5 mm

Hose OD: 10 mm

\$299

PN: GPHR1020



Bare In-line Manifolds

2 Way In-line Bare Manifold

\$20

PN: GPATA2

3 Way In-line Bare Manifold


\$21

PN: GPATA3

4 Way In-line Bare Manifold

\$23

PN: GPATA4



One-Touch Connector Kits

• Kit includes Hose Clamps, One-Touch Socket & Plug fittings

10mm Kit
PN: AHPACK

\$32

12mm Kit
PN: AHPACK12

\$41



In-line Components

1/4" In-line Water Separator

1/4" NPT Female to Male



\$35

PN: GPA1512

1/4" In-line Lubricator

1/4" NPT Female to Male
Capacity: 15 mL



\$30

PN: GPA1025

Premium Air Tool

Add only a couple of drops daily to prolong the performance of any air operated tool
Formulated to greatly reduce internal wear and maintain the integrity of gaskets and seals



250 ML

\$13

PN: SI250

1 Litre

\$27

PN: SI1000

5 Litre

\$97

PN: SI5000

10 MM Bare Air Hoses

20m Roll

\$55

PN: AH1020

30m Roll

\$94

PN: AH1030

100m Roll

\$275

PN: AH10100

12 MM Bare Air Hoses

20m Roll

\$94

PN: AH1220

30m Roll

\$135

PN: AH1230

100m Roll

\$419

PN: AH12100



One-Touch Recoil Air Hoses



10 MM Air Hoses

6.5 MM ID x 10 MM OD

2 Metre
PN: GPH1003LBHL **\$57**

5 Metre
PN: GPH1006LBHL **\$72**

6 Metre
PN: GPH1008LBHL **\$78**

8 Metre
PN: GPH1010LBHL **\$93**

12 MM Air Hoses

8 mm ID x 12 mm OD

5 Metre
PN: GPH1206LBHL **\$78**

6 Metre
PN: GPH1208LBHL **\$93**

8 Metre
PN: GPH1210LBHL **\$97**

10 Metre
PN: GPH1212LBHL **\$110**

- One-Touch couplings
- Made from kink resistant polyurethane

One-Touch Fitted Air Hoses



Fitted with Japanese compatible One-Touch couplings.

10 MM Fitted Air Hoses
10 MM ID

10 Metre
PN: AH1010F **\$52**

20 Metre
PN: AH1020F **\$83**

30 Metre
PN: AH1030F **\$105**

12 MM Fitted Air Hoses
12 mm ID

20 Metre
PN: AH1220F **\$115**

30 Metre
PN: AH1230F **\$159**



Made in Australia

Impact Socket Sets

HOT PRICES!

Made from Chrome Molybdenum Steel CR-MO.

Meet or exceed DIN & ANSI standards.

3/8" Drive Impact Socket Sets

8 Piece Metric
PN: GX838SSM

Sizes: 8, 10, 11, 12, 13, 15, 17 & 19 mm

8 Piece Imperial
PN: GX838SSI

Sizes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" & 3/4"



was \$62 **Now! \$49 ea**

1/2" Drive Impact Socket Sets

13 Piece Metric
PN: GX1312SSM

Sizes: 10, 12, 13, 14, 15, 17, 18, 19, 21, 22, 24, 27 & 30 mm

13 Piece Imperial
PN: GX1312SSI

Sizes 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8 & 1-1/4"



was \$169 **Now! \$99 ea**

3/4" Drive Impact Socket Sets

8 Piece Metric
PN: GX834SSM

Sizes: 26, 27, 29, 30, 32, 35, 36 & 38 mm

8 Piece Imperial
PN: GX834SSI

Sizes 1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16 & 1-1/2"



was \$229 **Now! \$189 ea**

Impact Hex & Torx® Bit Sets

Made from SNCM 8660 Steel which allows 20% more torque than CR-MO.

1/2" 8 Piece Metric Hex Bit Set
PN: GX12HBSM

Sizes: H5, H6, H8, H10, H12, H14, H17 & H19 MM

1/2" 8 Piece Imperial Hex Bit Set
PN: GX12HBSI

Sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8" & 3/4"



was \$99 **Now! \$79 ea**

1/2" Torx® Impact Socket Set

Sizes: T25, T27, T30, T40, T45, T50, T55 & T60 bits

\$79
PN: GX12TX8



Impact Universal Joints

Molybdenum Steel CR-MO.



3/8" Drive Universal Joint

\$28
PN: GX38U

1/2" Drive Universal Joint

\$29
PN: GX12U

3/4" Drive Universal Joint

\$57
PN: GX34U

5 Piece Square Drive Adapter Sets



\$29
PN: GX3AS

Chrome Vanadium

1/4" Female to 3/8" Male
1/2" Female to 3/8" Male
3/8" Female to 1/4" Male
1/2" Female to 3/4" Male
3/8" Female to 1/2" Male

Wobble Impacting Bar Sets



Chrome Molybdenum Steel CR-MO.

1/4" Set of 4 Wobble Extension Bars

Kit includes:
3", 6", 10" & 12" bars

\$57
PN: GXWEBS14

3/8" Set of 4 Wobble Extension Bars

Kit includes:
3", 6", 10" & 18" bars

\$82
PN: GXWEBS38

1/2" Set of 4 Wobble Extension Bars

Kit includes:
3", 5", 10" & 18" bars

\$95
PN: GXWEBS12



MP AUSSIE PRODUCTS

JOB DONE



P2 RESPIRATORS

P2 RESPIRATORS WITH 4 LAYER PROTECTION

LAYER 1

An outer spun-bond polypropylene layer to block large particles, dust & droplets.

LAYERS 2 & 3

Two layers of very fine, non-woven fabric block finer dust particles, fumes, vapours & mists.

LAYER 4

An inner layer of spun-bond polypropylene to block exhaled droplets.



FLUOR GREEN
PN: MPLR-P2FG

BLACK
PN: MPLR-P2B

- Generous length straps can be looped around ears or the back of the head
- Moist exhaled air is vented through dual one-way exhaust ports, preserving filter life

Size: 115W x 125H MM

Compact enough to fit underneath welding helmets.

+2 P2 Filters

Each respirator comes with 2 additional disposable P2 filters.



HURRY!
Only While Stocks Last!

Was \$36
Now! \$26 ea

Quick-Lock Backing Pads

Attach abrasive pads to tool. Includes 1/4" shank adapter.

50 MM Quick-Lock Backing Pad

75 MM Quick-Lock Backing Pad

\$23

PN: GPA1523K



\$30

PN: GPA1524K



Quick-Lock Ceramic Sanding Discs

Packs of 10



50 MM Quick-Lock Ceramic Sanding Discs

75 MM Quick-Lock Ceramic Sanding Discs

36 Grit PN: AB22012S36CP

36 Grit PN: AB22013S36CP

60 Grit PN: AB22012S60CP

60 Grit PN: AB22013S60CP

80 Grit PN: AB22012S80CP

80 Grit PN: AB22013S80CP

120 Grit PN: AB22012S120CP

120 Grit PN: AB22013S120CP

\$40 ea

\$40 ea

Quick-Lock Ceramic Flap Discs

Packs of 5



50 MM Quick-Lock Ceramic Mini Flap Discs

75 MM Quick-Lock Ceramic Mini Flap Discs

40 Grit PN: AB22012F40CP

40 Grit PN: AB22013F40CP

60 Grit PN: AB22012F60CP

60 Grit PN: AB22013F60CP

80 Grit PN: AB22012F80CP

80 Grit PN: AB22013F80CP

120 Grit PN: AB22012F120CP

120 Grit PN: AB22013F120CP

\$32 ea

\$36 ea

Quick-lock Abrasive Pads

Packs of 10



50 MM Abrasive Fine

75 MM Abrasive Pads

Fine Blue PN: GPA1527X10

Fine Blue PN: GPA1530X10

Maroon Medium PN: GPA1528X10

Maroon Medium PN: GPA1531X10

Brown Coarse PN: GPA1526X10

Brown Coarse PN: GPA1529X10

\$39 ea

\$69 ea

Quick-Lock Preparation Kits

2" Quick-Lock Preparation Kit

7 Piece kit includes: 1/4" shank, 2" backing pad, 24 Grit 2" disc, 36 Grit 2" disc, 50 grit 2" disc, Brown (Coarse) surface prep 2" disc & Maroon (Medium) surface prep 2" disc.



\$38

PN: GPK2

3" Quick-Lock Preparation Kit

7 Piece kit includes: 1/4" shank, 3" backing pad, 24 grit 3" disc, 36 grit 3" disc, 50 grit 3" disc, Brown (Coarse) surface prep 3" disc & Maroon (Medium) surface prep 3" disc.



\$52

PN: GPK3

Abrasive & Sanding Pads made in USA.

8 Piece Flap Wheel Kit

Kit includes:

25 x 12 mm, 120 Grit, x 1
25 x 25 mm, 40 Grit, x 1
25 x 25 mm, 80 Grit, x 1
40 x 25 mm, 80 Grit, x 1
40 x 25 mm, 60 Grit, x 1
50 x 25 mm, 80 Grit, x 1
50 x 25 mm, 60 Grit, x 2



\$62

PN: GFWK

Ceramic Sanding Belts



Pack of 10 Belts.

10 MM Sanding Belts

Size: 10 mm x 330 mm

40 Grit PN: AB2700-40CP

60 Grit PN: AB2700-60CP

80 Grit PN: AB2700-80CP

120 Grit PN: AB2700-120CP

\$35 ea

20 MM Sanding Belts

Size: 20 mm x 520 mm

40 Grit PN: AB2800-40CP

60 Grit PN: AB2800-60CP

80 Grit PN: AB2800-80CP

120 Grit PN: AB2800-120CP

\$40 ea

Quick-Lock Polishing Pads



50 MM Quick-Lock Felt Polishing Pad

\$15

PN: GPA1525



75 MM Quick-Lock Felt Polishing Pad

\$19

PN: GPA1575

Polishing Mops

1/4" Shank Tapered Spindle

Fits 50 MM Calico Polishing Mops (PN: PMC50).



\$53

PN: TS12

50 MM Calico Polish Mop

For use with Taper Spindle (PN: TS12). Width: 20 MM



\$39

PN: PMC50

Velcro Backing Pads

50 MM Velcro Backing Pad

Shank Size: 1/4"



\$37

PN: GPA50

75 MM Velcro Backing Pad

Shank Size: 1/4"



\$48

PN: GPA75

Velcro Polishing Pads

60 MM Polishing Pad

Suits 50 mm Velcro Backing Pad



\$14

PN: OWB-60

80 MM Polishing Pad

Suits 75 mm Velcro Backing Pad



\$24

PN: 119-102

125 MM Turbo Backing Pad



- Lock Nut included
- Pad Thickness: 18 MM
- Max Speed: 10,000 RPM
- Thread Size: M14 x 2 Int.

\$37

PN: GTP162214

Cut off Discs



50 MM Discs

- Disc Size: 50 x 1 mm
- Bore: 1/4"
- Max Speed: 30,000 RPM

Packs of 10

\$37

PN: ABPCWHEELS



75 MM Discs

- Disc Size: 75 x 0.8 mm
- Bore: 9.53 mm
- Max Speed: 25,000 RPM

Packs of 5

\$27

PN: CO007K

150 MM Velcro Backing Pads

- Spindle Size: 5/16" x 24 UNF Ext.
- Max Speed: 12,000 RPM
- Pad Thickness: 10 mm

Velcro Backing Pad

\$44

PN: F6505



Dust Free Velcro Backing Pad

\$48

PN: F6565



Clean & Strip Discs

- Removals of paint & light rust
- Will not damage the original surface



Pack of 2

10 x 50 MM

10 x 75 MM

\$20

\$32

PN: ABCH902P

PN: ABCH903P

Twin LED Rechargeable Inspection Lamp

Ideal for automotive panel & paint inspection or any confined automotive or industrial work environments.

- Precision adjustable dimmer switch
- Multistage battery indicator light
- Magnetic ball jointed adjustable base
- Dual retractable lamp hangers
- USB rechargeable Li-ion battery
- Magnetic retrieval wand at tip
- IP54 dust & water resistant



\$159

PN: GLED2CIL

SUPER BRIGHT 880 LUMENS!

Desktop Magnification Lamp

- Adjustable height & angle
- Interchangeable 100 mm lens (sold separately)
- Bright 560 Lumen LED lamp with lens cover

Lens dia.: 100 mm
Magnification: 3 Diopter
Max lens height: 300 mm
Brightness: 560 Lumen
Power supply: 240V
Cord length: 1.3m

560 LUMEN LED LAMP



\$99

PN: ML30

Workbench Magnification Lamp

- Mountable to most workbenches up to 60 mm thick
- 900 MM Two piece articulated arm
- 60 LED lamp with high & low modes
- High quality metal frame construction.

900MM REACH!

760 LUMENS



Magnification: 3 Dioptre
Lens dia.: 120 mm
Lamp: 60 x LED
Power: 240 V

\$199

PN: ML60

flexipads

WHAT QUALITY FEELS LIKE™

180 MM Nylon Backing Pads

- Medium Pad Density
- Thread Size: M14 x 2 Int.
- Pad Thickness: 20 MM
- Max Speed: 8,500 RPM



\$34

PN: FP20305

Heavy Duty 5" TURBO Grinding Pads



Ultra Tough & Rigid Pads ideal for grinding!

Thread Size: M14 x 2 Int.
Pad Thickness: 18 MM
Max Speed: 12,250 RPM

\$30

PN: FP11723

Nylon Backing Pads



100 MM Nylon Backing Pad

- Medium Pad Density
- Thread Size: M14 x 2 Int.
- Pad Thickness: 15 MM
- Max Speed: 12,250 RPM

\$27

PN: FP20020



125 MM Nylon Backing Pad

- Medium Pad Density
- Thread Size: M14 x 2 Int.
- Pad Thickness: 16 MM
- Max Speed: 12,250 RPM

\$28

PN: FP20210

Sheep Skin Polishing Bonnets



100% Merino Sheep Skin Wool!

Disc Size: 5" (125 MM)
Max. speed: 2,500 RPM
Thickness: 32 MM

\$34

PN: FP40005

6" Dust Free Multi-Fit Velcro Pad

Thread Size: M8 & 5/16" UNF
Pad Thickness: 14 MM
Max Speed: 12,000 RPM

\$84

PN: FP17099



Suits Festool & Makita Sanders!



Economical Gravity Feed Spray Guns

Working Pressure: 15-43 psi
Pattern Width: 270 mm
Fluid Output: 200-220 mL/min
Fluid Capacity: 600 cc
Weight: 600 g

- Stainless steel nozzle & needle
- Brass cap
- Great atomisation
- High transfer rate



- 1.4 mm PN: SG898-14
- 1.8 mm PN: SG898-18
- 2.2 mm PN: SG898-22

• Nozzle kits also available

NEW!
\$89 ea

Economical 6" Backing Pads

Spindle Size: 5/16" x 24 UNF Ext.
Max Speed: 12,000 RPM
Pad Thickness: 10 mm

\$20 ea

- Standard PN: E6505
- Dust Free PN: E6565



Full range on page 28.

Mini Twin-Beam Headlamp



- High-quality anodised aluminium body
- | | |
|---------------|--------------|
| Primary Beam: | Flood Light: |
| LOW (50Lm) | LOW (35Lm) |
| MED (250Lm) | HIGH (100Lm) |
| HIGH (500Lm) | Weight: 59g |

Brightness: 500 Lm
Intensity: 4000 Cd

\$79
PN: H11

- | | | |
|------------------|----------------|-------------|
| Battery | Ingress Rating | Charge Port |
| 1 x 14500 Li-ion | SPLASH IP65 | USB TYPE C |

ACCUD Dual Scale Stainless Rulers

600 mm Ruler Graduation:
\$36 0.5 & 1 mm,
1/64", 1/32", 1/16"

PN: AC-990-024-11

1000 mm Ruler
\$56

PN: AC-990-040-11



HOT PRICES!
Full range on page 10.

HARLINGEN HSS Tap & Drill Sets

HSS Plug Tap & Twist Drill Set

15 piece set includes Tapping Wrench and the following metric coarse drills & taps: M3, M4, M5, M6, M8, M10 & M12

1-13 mm HSS Drill Set

- 135° split point
- 25 piece set includes drill bits from 1 to 13 mm in 0.5 mm increments



\$99

PN: H-542-36-S01



\$119

PN: H-512-11-1S1

morrisflex

Professional Bolt Removal Kits

The four step extraction kit that enables safe & clean removal of broken studs or screws in confined spaces.

Size	PN	Price
M6	CBSETBRM6	\$105
M8	CBSETBRM8	\$115
M10	CBSETBRM10	\$129
M12	CBSETBRM12	\$139
M14	CBSETBRM14	\$175



Full range on page 14.

THE BONE™ CREEPERS & STOOLS

MADE in the USA



THE BONESTER SUPER LOW PROFILE

1092L x 594W x 114H MM
Wheels: Ø75 MM x 22 MM
38 MM Ground Clearance
Weight: 6 Kg



180 KG CAPACITY

\$479

PN: BONE4031